

Catalogo Generale

Dicembre 2025



BOSCH
Tecnologia per la vita



Video Systems



BOSCH

Tecnologia per la vita



DINION 3100i IR IVA Pro

| | | |
|--|-------------|------------------------------------|
|  | NBE-3702-AL | Bullet 2MP 3.3-10.2mm IP66 IK10 IR |
|  | NBE-3703-AL | Bullet 5MP 3.3-10.2mm IP66 IK10 IR |

DINION 5100i IR Starlight IVA Pro

| | | |
|--|-------------|--|
|  | NBE-5704-AL | Bullet 8MP HDR 3.2-10.5mm IP66/67 IK10 |
|  | NBE-5703-AL | Bullet 5MP HDR 3.2-10.5mm IP66/67 IK10 |
|  | NBE-5702-AL | Bullet 2MP HDR 3.2-10.5mm IP66/67 IK10 |

DINION 7100i IR Starlight X IVA Pro

| | | |
|--|---------------|---------------------------------------|
|  | NBE-7702-ALX | Bullet 2MP HDR X 4.4-10mm CPP14 IP67 |
|  | NBE-7702-ALXT | Bullet 2MP HDR X 10.5-47mm CPP14 IP67 |
|  | NBE-7703-ALX | Bullet 4MP HDR X 4.4-10mm CPP14 IP67 |
|  | NBE-7703-ALXT | Bullet 4MP HDR X 10.5-47mm CPP14 IP67 |

| | | |
|--|--------------|--------------------------------------|
|  | NBE-7704-ALX | Bullet 8MP HDR X 5.9-13mm CPP14 IP67 |
|  | NBE-7704-AL | Bullet 8MP HDR 4.4-10mm CPP14 IP67 |
|  | NBE-7704-ALT | Bullet 8MP HDR 10.5-47mm CPP14 IP67 |

DINION IP 6000 Starlight EVA

| | | |
|--|-------------|--------------------------|
|  | NBN-63013-B | DINION IP 6000 720p |
|  | NBN-63023-B | DINION IP 6000 1080p |
|  | NBN-65023-B | Fixed camera 2MP HDR 24V |

DINION IP 7000 Starlight IVA CT

| | | |
|--|--------------|--------------------------|
|  | NBN-73013-BA | DINION IP 7000 720p IVA |
|  | NBN-73023-BA | DINION IP 7000 1080p IVA |
|  | NBN-75023-BA | Fixed camera 2MP HDR 24V |

DINION 7100s IR Starlight X IVA Pro

| | | |
|--|---------------|--|
|  | NBI-7803S-AXT | Fixed camera 4MP HDRX 10.5-47mm GenAI+ |
|  | NBI-7803S-AX | Fixed camera 4MP HDRX 4.4-10mm GenAI+ |
|  | NBI-7803-AXT | Fixed camera 4MP HDRX 10.5-47mm |
|  | NBI-7803-AX | Fixed camera 4MP HDRX 4.4-10mm |
|  | NBI-7802-AXT | Fixed camera 2MP HDRX 10.5-47mm |
|  | NBI-7802-AX | Fixed camera 2MP HDRX 4.4-10mm |

Obiettivi


| | | |
|--|-----------------|---|
|  | LVF-5005C-S1803 | 1/2.5",CS-mount,1.8-3mm,IR,5MP,SR-IRIS |
|  | LVF-5003C-P2713 | Varifocal lens, 2.7-13mm, 3MP, CS mount |
|  | LVF-5005C-S0940 | 1/2.5",CS-mount,9-40mm, IR,5MP,SR-IRIS |
|  | M118VG1250IR | Varifocal lens, 12-50mm, 5MP, CS mount |

| | | |
|--|-----------------|--------------------------------------|
|  | LVF-8008C-P0413 | 1/1.8" CS-Mount, 4-13mm, UHD, P-IRIS |
|  | LFF-8012C-D50 | 50mm Fixed MP telephoto lens |
|  | LFF-8012C-D35 | 35mm Fixed MP telephoto lens |

Custodie

| | | |
|--|----------------|---------------------------------|
|  | UHO-POE-10 | PoE OUTD-HSG W/HTR + BLR + SS |
|  | UHO-HBGS-11 | Htr, Blr, SS,24VAC/35W, AC->DC |
|  | UHO-HBGS-51 | Htr, Blr, SS,230VAC/35W, AC->DC |
|  | UHI-OG-0 | Indoor housing |
|  | VSP-UHO-POE-10 | Custodia UHO POE |
|  | UHI-OGS-0 | Indoor housing + Sunshield |

Staffe

| | | |
|--|--------------|--|
|  | LTC 9210/01 | Feed through column mount 20CM (8 inch) |
|  | LTC 9215/00 | MOUNT, FEED-THRU, 12-INCH, FOR 9380x SERIES, & 948X SERIES HOUSINGS. |
|  | LTC 9215/00S | MOUNT, FEED-THRU, 7-INCH, FOR 938x SERIES, & 948x SERIES HOUSINGS. |
|  | LTC 9213/01 | POLE MOUNT ADAPTER WITH STAINLESS STEEL STRAPS, FOR LTC 9210, LTC 9212 & LTC 9215. |
|  | LTC 9219/01 | MOUNT, CEILING-J, FEED-THRU, FOR 938x SERIES, & 948x SERIES HOUSINGS. |
|  | TC9210U | CAMERA MT 6 IN. INDOOR |
|  | TC9208 | WALL MOUNT. LIGHT DUTY |

DINION thermal 8100i QVGA IVA Pro

| | | |
|--|----------------|------------------------------|
|  | NBT-8700-F03QF | Bullet thermal QVGA 80° 30Hz |
|  | NBT-8700-F05QF | Bullet thermal QVGA 46° 30Hz |
|  | NBT-8700-F09QF | Bullet thermal QVGA 24° 30Hz |
|  | NBT-8700-F18QF | Bullet thermal QVGA 12° 30Hz |

DINION thermal 8100i VGA IVA Pro

| | | |
|--|----------------|-----------------------------|
|  | NBT-8701-F06VF | Bullet thermal VGA 69° 30Hz |
|  | NBT-8701-F14VF | Bullet thermal VGA 30° 30Hz |
|  | NBT-8701-F25VF | Bullet thermal VGA 17° 30Hz |
|  | NBT-8701-F42VF | Bullet thermal VGA 12° 30Hz |

FLEXIDOME 3100i IVA Pro (interno)

| | | |
|---|---------------|------------------------------------|
|  | NDI-3702-A | FLEXIDOME indoor 3100i |
|  | NDI-3702-AL | Fixed dome 2MP 3.3-10.2mm IR |
|  | NDI-3703-A | Fixed dome 5MP 3.3-10.2mm |
|  | NDI-3703-AL | Fixed dome 5MP 3.3-10.2mm IR |
|  | NDI-3702-A-IO | Fixed dome 2MP 3.3-10.2mm I/O, mic |

FLEXIDOME 3100i IVA Pro

| | | |
|--|----------------|--|
|  | NDE-3702-AL | Fixed dome 2MP 3.3-10.2mm IP66 IK10 IR |
|  | NDE-3703-AL | Fixed dome 5MP 3.3-10.2mm IP66 IK10 IR |
|  | NDE-3703-AL-IO | Dome 5MP 3.3-10.2mm IP66 IK10 IR I/O |

FLEXIDOME 5100i Starlight IVA Pro (interno)

| | | |
|--|-------------|--------------------------------------|
|  | NDV-5702-A | Fixed dome 2MP HDR 3.4-10.2mm |
|  | NDV-5702-AL | Fixed dome 2MP HDR 3.4-10.2mm IR I/O |
|  | NDV-5703-A | Fixed dome 5MP HDR 3.4-10.2mm |
|  | NDV-5703-AL | Fixed dome 5MP HDR 3.4-10.2mm IR I/O |
|  | NDV-5704-A | Fixed dome 8MP HDR 3.4-10.2mm |
|  | NDV-5704-AL | Fixed dome 8MP HDR 3.4-10.2mm IR I/O |

FLEXIDOME 5100i Starlight IVA Pro

| | | |
|--|-------------|---|
|  | NDE-5702-A | Fixed dome 2MP HDR 3.4-10.2mm IP66 |
|  | NDE-5702-AL | Fixed dome 2MP HDR 3.4-10.2mm IR I/O IP66 |
|  | NDE-5703-A | Fixed dome 5MP HDR 3.4-10.2mm IP66 |
|  | NDE-5703-AL | Fixed dome 5MP HDR 3.4-10.2mm IR I/O IP66 |



NDE-5704-A

Fixed dome 8MP HDR 3.4-10.2mm IP66



NDE-5704-AL

Fixed dome 8MP HDR 3.4-10.2mm IR I/O IP66

FLEXIDOME 8100i Starlight IVA Pro



NDE-8703-R

Fixed dome 6MP HDR 3.9-10mm PTRZ IP67



NDE-8703-R-H

Dome PTRZ 6MP HDR 3.9-10mm hydro



NDE-8703-RL

Dome 6MP HDR 3.9-10mm PTRZ IP67 IR



NDE-8703-RL-H

Dome PTRZ 6MP HDR 3.9-10mm IR hydro



NDE-8703-RT

Fixed dome 6MP HDR 12-38mm PTRZ IP67



NDE-8703-RT-H

Dome PTRZ 6MP HDR 12-38mm hydro



NDE-8704-R

Fixed dome 8MP HDR 3.9-10mm PTRZ IP67



NDE-8704-R-H

Dome PTRZ 8MP HDR 3.9-10mm hydro

| | | |
|--|---------------|--------------------------------------|
|  | NDE-8704-RL | Dome 8MP HDR 3.9-10mm PTRZ IP67 IR |
|  | NDE-8704-RL-H | Dome PTRZ 8MP HDR 3.9-10mm IR hydro |
|  | NDE-8704-RT | Fixed dome 8MP HDR 12-38mm PTRZ IP67 |
|  | NDE-8704-RT-H | Dome PTRZ 8MP HDR 12-38mm hydro |

FLEXIDOME 8100i Starlight X IVA Pro

| | | |
|--|----------------|---|
|  | NDE-8702-RX | Fixed dome 2MP HDR X 4.4-10mm PTRZ IP67 |
|  | NDE-8702-RX-H | Dome PTRZ 2MP HDR X 4.4-10mm hydro |
|  | NDE-8702-RXL | Dome 2MP HDR X 4.4-10mm PTRZ IP67 IR |
|  | NDE-8702-RXL-H | Dome PTRZ 2MP HDR X 4.4-10mm IR hydro |
|  | NDE-8702-RXT | Fixed dome 2MP HDR X 12-38mm PTRZ IP67 |
|  | NDE-8702-RXT-H | Dome PTRZ 2MP HDR X 12-38mm hydro |

| | | |
|--|----------------|---|
|  | NDE-8703-RX | Fixed dome 4MP HDR X 4.4-10mm PTRZ IP67 |
|  | NDE-8703-RX-H | Dome PTRZ 4MP HDR X 4.4-10mm hydro |
|  | NDE-8703-RXL | Dome 4MP HDR X 4.4-10mm PTRZ IP67 IR |
|  | NDE-8703-RXL-H | Dome PTRZ 4MP HDR X 4.4-10mm IR hydro |
|  | NDE-8703-RXT | Fixed dome 4MP HDR X 12-38mm PTRZ IP67 |
|  | NDE-8703-RXT-H | Dome PTRZ 4MP HDR X 12-38mm hydro |
|  | NDE-8704-RX | Dome PTRZ 8MP HDR X 5.9-13mm IP6K9K |
|  | NDE-8704-RX-H | Dome PTRZ 8MP HDR X 5.9-13mm hydro |
|  | NDE-8704-RXL | Dome PTRZ 8MP HDR X 5.9-13mm IR IP6K9K |
|  | NDE-8704-RXL-H | Dome PTRZ 8MP HDR X 5.9-13mm IR hydro |

FLEXIDOME IP 8000i Starlight IVA CT (interno)

| | | |
|--|------------|---|
|  | NDV-8502-R | FLEXIDOME IP indoor 8000i 2MP HDR 3-9mm PTRZ |
|  | NDV-8503-R | FLEXIDOME IP indoor 8000i 6MP HDR 3.9-10mm PTRZ |
|  | NDV-8504-R | FLEXIDOME IP indoor 8000i 8MP HDR 3.9-10mm PTRZ |

FLEXIDOME IP 8000i Starlight X IVA CT (interno)

| | | |
|--|-------------|---|
|  | NDV-8502-RX | FLEXIDOME IP indoor 8000i 2MP HDR X 4.4-10mm PTRZ |
|  | NDV-8503-RX | FLEXIDOME IP indoor 8000i 4MP HDR X 4.4-10mm PTRZ |

FLEXIDOME corner 7100i IR IVA Pro



NCE-7703-FK

Fixed dome 6MP corner IR

FLEXIDOME Dual 7100i IR starlight IVA Pro

| | | |
|--|-------------|-----------------------------------|
|  | NDD-7803-AL | FLEXIDOME dual 7100i IR |
|  | NDD-7802-AL | Dual dome 2x3MP 3.2-8.1mm IP67 IR |

FLEXIDOME micro 3100i IVA Pro (interno)

| | | |
|---|---------------|------------------------------|
|  | NUV-3703-F02H | Micro dome 5MP HDR 131° HDMI |
|  | NUV-3702-F04H | Micro dome 2MP HDR 106° HDMI |
|  | NUV-3703-F06 | Micro dome 5MP HDR 56° |
|  | NUV-3703-F04 | Micro dome 5MP HDR 101° |
|  | NUV-3703-F02 | Micro dome 5MP HDR 131° |
|  | NUV-3702-F06 | Micro dome 2MP HDR 58° |
|  | NUV-3702-F04 | Micro dome 2MP HDR 106° |
|  | NUV-3702-F02 | Micro dome 2MP HDR 137° |

FLEXIDOME micro 3100i IVA Pro

| | | |
|---|--------------|-----------------------------------|
|  | NUE-3703-F06 | Micro dome 5MP HDR 56° IP66 IK10 |
|  | NUE-3703-F04 | Micro dome 5MP HDR 101° IP66 IK10 |
|  | NUE-3703-F02 | Micro dome 5MP HDR 131° IP66 IK10 |
|  | NUE-3702-F06 | Micro dome 2MP HDR 58° IP66 IK10 |
|  | NUE-3702-F04 | Micro dome 2MP HDR 106° IP66 IK10 |
|  | NUE-3702-F02 | Micro dome 2MP HDR 137° IP66 IK10 |

FLEXIDOME Multi 7000i IVA Pro



NDM-7703-A

FLEXIDOME multi 7000i 20MP 3.7-7.7mm IP66



NDM-7702-A

FLEXIDOME multi 7000i 12MP 3.7-7.7mm IP66

FLEXIDOME Multi 7000i IR IVA Pro



NDM-7703-AL

FLEXIDOME multi 7000i Fixed dome 20MP 3.7-7.7mm IR IP66



NDM-7702-AL

FLEXIDOME multi 7000i Fixed dome 12MP 3.7-7.7mm IR IP66

FLEXIDOME panoramic 5100i IVA (interno)



NDS-5704-F360

FLEXIDOME panoramic 5100i 12MP 360°



NDS-5703-F360

FLEXIDOME panoramic 5100i 6MP 360°

FLEXIDOME panoramic 5100i IR IVA



NDS-5704-F360LE

FLEXIDOME panoramic 5100i IR 12MP 360° IR IP66



NDS-5703-F360LE

FLEXIDOME panoramic 5100i IR 6MP 360° IR IP66

AUTODOME IP 5000i Starlight EVA

| | | |
|--|---------------|-------------------------------------|
|  | NDP-5522-Z30C | PTZ dome 2MP 30x clear in-ceiling |
|  | NDP-5522-Z30 | PTZ dome 2MP 30x clear IP66 pendant |
|  | NDP-5522-Z30L | PTZ dome IR 2MP 30x IP66 pendant |

AUTODOME IP 5100i Starlight EVA

| | | |
|---|---------------|---------------------------------|
|  | NDP-5533-Z30L | PTZ 4MP HDR 30x IP66 pendant IR |
|---|---------------|---------------------------------|

AUTODOME 7100i Starlight IVA Pro

| | | |
|--|---------------|---------------------------------|
|  | NDP-7602-Z40 | PTZ 2MP HDR 40x IP66 pendant |
|  | NDP-7602-Z40L | PTZ 2MP HDR 40x IP66 pendant IR |
|  | NDP-7604-Z12L | PTZ 8MP 12x IP66 pendant IR |
|  | NDP-7802-Z40 | PTZ 2MP HDR 40x IP66 pendant |
|  | NDP-7802-Z40L | PTZ 2MP HDR 40x IP66 pendant IR |



NDP-7804-Z12L

PTZ 8MP 12x IP66 pendant IR

MIC IP 7100i Starlight IVA CT

| | | |
|--|----------------|-------------------------------------|
|  | MIC-7522-Z30B | PTZ 2MP HDR 30x IP68 black |
|  | MIC-7522-Z30W | PTZ 2MP HDR 30x IP68 white |
|  | MIC-7522-Z30G | PTZ 2MP HDR 30x IP68 gray |
|  | MIC-7522-Z30BR | PTZ 2MP HDR 30x IP68 enhanced black |
|  | MIC-7522-Z30WR | PTZ 2MP HDR 30x IP68 enhanced white |
|  | MIC-7522-Z30GR | PTZ 2MP HDR 30x IP68 enhanced gray |

MIC IP 7100i Ultra 4K IVA CT

| | | |
|--|----------------|---------------------------------|
|  | MIC-7504-Z12BR | PTZ 8MP 12x IP68 enhanced black |
|  | MIC-7504-Z12WR | PTZ 8MP 12x IP68 enhanced white |
|  | MIC-7504-Z12GR | PTZ 8MP 12x IP68 enhanced gray |

MIC Inteox 7100i Starlight IVA Pro

| | | |
|--|----------------|---|
|  | MIC-7602-Z30WR | MIC inteox 7100i PTZ 2MP 30x starlight enhanced white |
|  | MIC-7602-Z30BR | MIC inteox 7100i PTZ 2MP 30x starlight enhanced black |
|  | MIC-7602-Z30G | MIC inteox 7100i PTZ 2MP 30x starlight gray |
|  | MIC-7602-Z30W | MIC inteox 7100i PTZ 2MP 30x starlight white |
|  | MIC-7602-Z30B | MIC inteox 7100i PTZ 2MP 30x starlight black |
|  | MIC-7602-Z30GR | MIC inteox 7100i PTZ 2MP 30x starlight enhanced gray |

MIC Inteox 7100i Ultra 4K IVA Pro

| | | |
|--|----------------|---|
|  | MIC-7604-Z12GR | MIC inteox 7100i PTZ 8MP 12x enhanced gray |
|  | MIC-7604-Z12WR | MIC inteox 7100i PTZ 8MP 12x enhanced white |
|  | MIC-7604-Z12BR | MIC inteox 7100i PTZ 8MP 12x enhanced black |

MIC IP 9000i fusion QVGA IVA CT

| | | |
|--|-----------------|--|
|  | MIC-9502-Z30WQS | PTZ thermal QVGA-19mm 2MP 30x 9Hz, white |
|  | MIC-9502-Z30BQS | PTZ thermal QVGA-19mm 2MP 30x 9Hz, black |
|  | MIC-9502-Z30GQS | PTZ thermal QVGA-19mm 2MP 30x 9Hz, gray |

MIC IP 9000i fusion VGA IVA CT

| | | |
|--|------------------|---|
|  | MIC-9502-Z30WVS9 | PTZ thermal VGA-9mm 2MP 30x 9Hz, white |
|  | MIC-9502-Z30BVS9 | PTZ thermal VGA-9mm 2MP 30x 9Hz, black |
|  | MIC-9502-Z30WVF9 | PTZ thermal VGA-9mm 2MP 30x 30Hz, white |
|  | MIC-9502-Z30BVF9 | PTZ thermal VGA-9mm 2MP 30x 30Hz, black |
|  | MIC-9502-Z30GVF9 | PTZ thermal VGA-9mm 2MP 30x 30Hz, gray |
|  | MIC-9502-Z30WVS | PTZ thermal VGA-50mm 2MP 30x 9Hz, white |
|  | MIC-9502-Z30BVS | PTZ thermal VGA-50mm 2MP 30x 9Hz, black |

| | | |
|--|-----------------|--|
|  | MIC-9502-Z30WVF | PTZ thermal VGA-50mm 2MP 30x 30Hz, white |
|  | MIC-9502-Z30BVF | PTZ thermal VGA-50mm 2MP 30x 30Hz, black |
|  | MIC-9502-Z30GVF | PTZ thermal VGA-50mm 2MP 30x 30Hz, gray |

Accessori testa palo

| | | |
|---|------------|-----------------------|
|  | MIC-DCA-HW | MIC HINGED DCA, WHITE |
|  | MIC-DCA-HB | MIC HINGED DCA, BLACK |
|  | MIC-DCA-HG | MIC HINGED DCA, GREY |

Accessori muro e palo



| | | |
|--|------------|--|
|  | MIC-WMB-WD | WALL MOUNT BRACKET WHITE RAL9010 SAND |
|  | MIC-SCA-WD | SHALLOW CONDUIT ADAPTER WHITE RAL9010 SD |
|  | MIC-SPR-WD | WALL MOUNT SPREADER PLATE WHITE SAND |
|  | MIC-CMB-WD | CORNER MOUNT BRACKET WHITE RAL9010 SAND |

| | | |
|--|------------|--|
|  | MIC-SCA-BD | SHALLOW CONDUIT ADAPTER BLACK RAL9005 SD |
|  | MIC-WMB-BD | WALL MOUNT BRACKET BLACK RAL9005 SAND |
|  | MIC-SPR-BD | WALL MOUNT SPREADER PLATE BLACK SAND |
|  | MIC-CMB-BD | CORNER MOUNT BRACKET BLACK RAL9005 SAND |
|  | MIC-WMB-MG | WALL MOUNT BRACKET GREY RAL7001 SAND |
|  | MIC-SCA-MG | SHALLOW CONDUIT ADPTR. GREY RAL7001 SAND |
|  | MIC-SPR-MG | WALL MT SPREADER PLATE GREY RAL7001 SAND |
|  | MIC-CMB-MG | CORNER MOUNT BRACKET GREY RAL7001 SAND |
|  | MIC-PMB | POLE MOUNT BRACKET |

Accessori lavavetro

| | | |
|--|----------------|---------------------------------------|
|  | MIC-WKT-IR | WASHER KIT FOR IR MODELS |
|  | MIC-ALM-WAS-24 | MIC7000 ALARM-WASHER INTERFACE, 24VAC |

Accessori vari

| | | |
|---|--------------------|--|
|  | MIC-9K-SNSHLD-W | Sunshield thermal PTZ camera, white |
|  | MIC-7100I-SNSHLD-W | Sunshield for MIC 7100i white |
|  | MIC-M25XNPT34 | ADAPTER, M25 TO 3/4 INCH, STS |
|  | MIC-IP67-5PK | MIC7000 IP67 CONNECTOR KIT, 5 PK |
|  | MIC-9K-IP67-5PK | Connector kit thermal PTZ IP67 5pieces |

Illuminatori MIC IP 7100i

| | | |
|--|-------------|------------------------------------|
|  | MIC-ILB-400 | Illuminator, white-IR light, black |
|  | MIC-ILW-400 | Illuminator, white-IR light, white |
|  | MIC-ILG-400 | Illuminator, white-IR light, gray |

IVA PRO Video Analisi a bordo camera

| | | |
|--|--------------|------------------------------------|
|  | MVC-IVA-PRI | IVA Pro Privacy |
|  | MVC-IVA-BLD | IVA Pro Building Pack |
|  | MVC-IVA-PER | IVA Pro Perimeter Pack |
|  | MVC-IVA-TRA | IVA Pro Traffic Pack |
|  | MVC-IVA-TUN | IVA Pro Tunnel - AID |
|  | MVC-IVA-VGD | IVA Pro Visual Gun Detection |
|  | MVC-IVA-PPE | IVA Pro PPE |
|  | MVC-IVA-LPR | IVA Pro License Plate |
|  | MVC-IVA-MMR | IVA Pro Vehicle Make Model |
|  | MVC-IVA-LPRX | IVA Pro License Plate + Make Model |

| | | |
|--|-------------|--|
|  | MVC-IVA-DGS | IVA Pro Dangerous Good Signs |
|  | MVC-IVA-APC | IVA Pro Appearance |
|  | MVC-IVA-IT | IVA Pro Intelligent Tracking Pack |
|  | MFT-CM | Configuration Manager |
|  | MFT-EVA | Essential Video Analytics a bordo camera |
|  | MFT-IVA | Intelligent Video analytics a bordo camera |

Analisi Audio a bordo camera

| | | |
|--|---------------|-------------------------------------|
|  | MVC-IAA-GUN | License gunshot detector, perpetual |
|  | MVC-IAA-GUN5Y | License gunshot detector, 5-year |
|  | MVC-IAA-GUN3Y | License gunshot detector, 3-year |
|  | MVC-IAA-GUN1Y | License gunshot detector, 1-year |

Altoparlanti IP a tromba



LHN-UC15W-SIP

Horn loudspeaker 15W, wide angle, SIP



LHN-UC15L-SIP

Horn loudspeaker 15W, long throw, SIP

Amplificatore IP



AMN-P15-SIP

Amplifier module 15W, SIP

Small Range (SR)



IIR-50850-SR

IR Illuminator 850nm short range



IIR-50940-SR

IR Illuminator 940nm short range

Medium Range (MR)



IIR-50850-MR

IR Illuminator 850nm medium range



IIR-50940-MR

IR Illuminator 940nm medium range

Long Range (LR)



IIR-50850-LR

IR Illuminator 850nm long range



IIR-50940-LR

IR Illuminator 940nm long range

Extra Range (XR)



IIR-50850-XR

IR Illuminator 850nm extra range



IIR-50940-XR

IR Illuminator 940nm extra range

Cavi e collari

| | | |
|--|-------------|--------------------|
|  | IIR-MNT-SLB | Single L-Bracket |
|  | IIR-MNT-DLB | Double L-Bracket |
|  | IIR-MNT-PMB | Pole Mount Bracket |

Alimentatori

| | | |
|--|-------------|---|
|  | PSU-IIR-35 | PSU 35W 100-240VAC In, 24VDC 1.46A Out |
|  | PSU-IIR-60 | PSU 60W, 100-240VAC In, 24VDC 2.5A Out |
|  | PSU-IIR-100 | PSU 100W, 100-240VAC In, 24VDC 4.2A Out |

Decoder



VJD-7533

VIDEOJET decoder 7000

Accessori

| | |
|---------------|---------------------------------------|
| VJD-IPM-X8C | IP Matrix extension for 8 cameras |
| VJD-VOCS-1D | Decoder VOCS license for 1 display |
| MVS-FCOM-PRCL | License key for serial protocol |
| VJD-KBD-X1 | Licenza espansione 1 tastiera decoder |

24 Pollici



UML-245-90

23.8 inch FHD LED monitor

27 Pollici



UML-275-90

27 inch 4K LED monitor

32 Pollici



UML-324-90

32 inch FHD LED monitor

43 Pollici



UML-434-90

43 inch FHD LED monitor

55 Pollici



UML-554-90

55 inch 4K LED monitor

Accessori

| | | |
|---|--------------|--|
|  | UMM-LW-20B | MONITOR MOUNT, WALL, BASIC, FOR LCD MONITORS AND SMALLER, EXCEPT MON150CL |
|  | UMM-LW-30B | MONITOR MOUNT, WALL, TILT/SWIVEL, FOR LCD MONITORS AND SMALLER EXCEPT MON150CL |
|  | UMM-LED27-SD | desk stand for 27 inch monitor |
|  | UMM-WMT-32 | WALL MOUNT, LCD 32", BLK |
|  | ST650 | MOUNT, LCD 37 inch to 75 inch, WALL, TIL |

DINION 3100i IR, FLEXIDOME 3100i, FLEXIDOME micro 3100i e panoramic 5100i

| | | |
|--|---------------|--|
| | NDA-U-CBBS | Conduit back box, 123mm |
| | NDA-3083-TBLE | Bubble, tinted, FD3100i outdoor |
| | NDA-3083-TBLV | Bubble, tinted, FD3100i indoor |
| | NDA-3083-SMB | SMB with 4S and conduit support, 137mm |
|  | NDA-3083-LWMT | Compact wall mount, 110, 123, 137, 148mm |
| | NDA-3083-PLEN | Inceiling plenum kit for FLEXIDOME 3100i |
|  | NDA-3083-PIP | Pendant interface plate FD 3100i |
|  | NDA-5080-PIP | Pendant Interface Plate |
|  | NDA-3082-PIP | Pendant Interface Plate, 123mm |
|  | NDA-5081-PIP | Pendant Interface Plate, 110mm |

| | | |
|--|---------------|--|
|  | NDA-3081-4S | 4S adapter plate NDV-3000 micro dome |
|  | NDA-5081-PLEN | In-ceiling plenum rated kit, 110mm |
|  | NDA-5080-TM | Tilt mount 20-deg, 148mm |
|  | NDA-5081-TM | Accessorio per installazione inclinata 20°, diametro 110mm, per le telecamere FLEXIDOME panoramic 5100i. |
|  | NDA-5080-CMB | Corner mount box 45°, 110mm |
|  | NDA-5080-PIPW | Pendant interface plate, outdoor, 148mm |
|  | NDA-5081-PC | Paintable cover, F360, 4pcs |
|  | NDA-5080-PC | Paintable cover, F360E, 4pcs |
| | NDA-3083-BH | Black housing FLEXIDOME indoor 3100i |

DINION 5100i IR, DINION 7100i IR

| | | |
|--|--------------|---|
|  | NBA-7070-LI | Illuminator module invisible 940nm wide |
|  | NBA-7070-LIT | Illuminator module invisible 940nm tele |
|  | NBA-7070-LW | Illuminator kit white light wide |
|  | NBA-7070-LWT | Illuminator kit white light tele |
| | NBA-7070-PFT | Polarizing filter kit IK08 tele |
|  | NDA-U-CBB | Conduit back box, 148mm |
|  | NBA-7070-PA0 | Surveillance cabinet 24VAC |
|  | NBA-7070-PA1 | Surveillance cabinet 120VAC |
|  | NBA-7070-PA2 | Surveillance cabinet 230VAC |

FLEXIDOME 5100i

| | | |
|--|---------------|--|
|  | NDA-5070-PIPW | Pendant interface plate with weather cap |
|  | NDA-5070-PIP | Pendant interface plate NDE-570* |
|  | NDA-5070-LWMT | L shape wall mount for FLEXIDOME 5100i |
|  | NDA-5070-IC | In-ceiling mount kit |
|  | NDA-5070-PLEN | In-ceiling plenum kit, 148mm |
|  | NDA-MCSMB-03M | Cable, SMB to BNC, 0.3m |
|  | NDA-MCSMB-30M | Cable, SMB to BNC, 3.0m |
|  | NDA-5070-PC | Paintable cover, FLEXIDOME 5100i, 4pcs |
|  | NDA-5070-TBL | Bubble, tinted for FLEXIDOME 5100i |
|  | NDA-5070-TBLI | Bubble, tinted for FLEXIDOME 5100i IR |

| | | |
|--|---------------|--------------------------------------|
|  | NDA-5070-CBL | Bubble, clear for FLEXIDOME 5100i |
|  | NDA-5070-CBLI | Bubble, clear for FLEXIDOME 5100i IR |

FLEXIDOME 8000i, FLEXIDOME 8100i (IR)

| | | |
|--|-----------------|-------------------------------------|
|  | NDA-8000-WP | On-camera weather protector |
|  | NDA-8000-WPIR | On-camera weather protector IR |
|  | NDA-8000-PIP | Pendant interface plate, indoor |
|  | NDA-8000-PIPW | Pendant interface plate, outdoor |
|  | NDA-8000-SP | Soft ceiling support for in-ceiling |
|  | NDA-8000-PIPWIR | Pendant interface plate, outdoor IR |
|  | NDA-8002-PLEN | In-ceiling plenum rated kit |
|  | NDA-8002-IC | In-ceiling mount kit |

| | | |
|--|---------------|----------------------------|
|  | NDA-8001-PLEN | Plenum-rated mount kit |
|  | NDA-8001-IC | In-ceiling mount kit |
|  | NDA-8000-PC | Paintable cover, 4 pcs |
|  | NDA-8000-PCIR | Paintable cover, 4 pcs, IR |
|  | NDA-8000-CBL | Clear replacement bubble |
|  | NDA-8000-TBL | Tinted Bubble |
|  | NDA-8000-HCBL | Hydrophilic bubble |
| | NDA-8000-CND | Conduit adapter, 4 pcs |
|  | NDA-8001-IP | IP54 protection kit, 3 pcs |

FLEXIDOME corner 7100i IR

| | | |
|---|----------------|--------------------------------|
|  | NDA-7080-CBB | Conduit back box, corner |
|  | NDA-7080-IR940 | Replacement cover IR 940nm |
|  | NDA-7080-FP | Replacement face plate, corner |
|  | NDA-7080-TC | |

FLEXIDOME dual 7100i IR

| | | |
|--|---------------|--|
| | NDA-7042-PIPW | Pendant interface plate, weather, dual |
| | NDA-7042-PIP | Pendant interface plate, dual |
| | NDA-7042-PC | Paintable cover, dual, 4 pcs |
| | NDA-7042-WP | Weather protector, dual |
| | NDA-7042-TBL | Tinted bubble, dual |
| | NDA-7042-CBL | Clear bubble, dual |

FLEXIDOME multi 7000i

| | | |
|--|---------------|--|
|  | NDA-7051-PIPW | FLEXIDOME multi 7000i Pendant interface plate, 220mm |
|  | NDA-7050-PIPW | FLEXIDOME multi 7000i Pendant interface plate, 275mm |
|  | NDA-7051-CA | Adattatore per i modelli da esterno FLEXIDOME IP multi 7000i, accessorio necessario per ingresso con passacavo M25 da tubo esterno (confezione 5 pezzi). |
|  | NDA-7051-CA | FLEXIDOME multi 7000i Conduit Adapter M25, NDM-770x, 5 pcs |

AUTODOME 7100i


| | | |
|--|----------------|--|
|  | NDA-7100-PA2H | wallarm and PSU for AD7100i 230VAC |
|  | NDA-7100-PA2HF | wallarm and PSU for AD7100i fiber 230VAC |
|  | NDA-7100-PA1H | wallarm and PSU for AD7100i 120VAC |
|  | NDA-7100-PA1HF | wallarm and PSU for AD7100i fiber 120VAC |
|  | NDA-7100-PA0HF | wallarm and PSU for AD7100i fiber 24VAC |
|  | NDA-7100-PA0H | wallarm and PSU for AD7100i 24VAC |

| | | |
|--|-----------------|--|
|  | NDA-7100-PEN | Pendant arm for AUTODOME 7100i |
|  | NDA-7100-PENF | Pendant arm fiber for AUTODOME 7100i |
|  | NDA-7100-PIPE | Pipe mount for AUTODOME 7100i |
|  | NDA-PEND-WPLATE | Mounting plate for NDA-7100-PEN/PENF |
|  | NDA-7100-PIPEF | Pipe mount fiber for AUTODOME 7100i. |
| | NDA-7100-CBL | Spare bubble AUTODOME 7100i IR |
|  | NDA-U-PSU2H | PSU, 230VAC, for NDA-7100-PEN/PENF |
|  | NDA-U-PSU0H | PSU, 24VAC, for NDA-7100PEN/PENF |
|  | NDA-U-PSU1H | PSU, 120VAC, for NDA-7100-PEN/PENF |
| | NDA-7100-HCBL | Bubble, clear hydrophilic AUTODOME 7100i |
| | NDA-7100-TBL | Bubble, tinted for AUTODOME 7100i |

NDA-7100-WP

Weather protector for AUTODOME 7100i

AUTODOME 4000i - 5000i



NDA-5020-PTBL

Tinted bubble for PTZ dome

FLEXIDOME 4000i e 5000i



NDA-5031-PIP

Pendant interface plate NDI-4/5000



NDA-5030-PIP

Pendant interface plate NDE-4/5000



NDA-FMT-DOME

Flush Mount Bracket

Pendenti universali



NDA-U-WMT

Pendant wall mount



NDA-U-PMT

Pendant pipe mount, 12" (31cm)



NDA-U-PMTS

Pendant pipe mount, 4" (11 cm)



NDA-U-PMTE

Pendant pipe extension, 20" (50cm)

| | | |
|--|-------------|--------------------------------|
|  | NDA-U-RMT | Pendant parapet mount |
|  | LTC 9230/01 | ROOF MOUNT |
|  | NDA-U-PSMB | Pendant wall/ceiling mount SMB |
|  | NDA-U-DWMT | Dual pendant wall mount |

Alimentatori universali

| | | |
|--|-----------|-----------------------------|
|  | NDA-U-PA2 | Surveillance cabinet 230VAC |
|  | NDA-U-PA1 | Surveillance cabinet 120VAC |
|  | NDA-U-PA0 | Surveillance cabinet 24VAC |

Collari

| | | |
|--|------------|--------------------------|
|  | NDA-U-WMP | Wall mount plate |
|  | NDA-U-PMAS | Pole mount adapter small |
|  | NDA-U-PMAL | Pole mount adapter large |
|  | NDA-U-CMT | Corner mount adapter |


Midspan 802.3 af/at PoE

| | | |
|--|--------------|-------------------------------------|
|  | NPD-5001-POE | PoE SINGLE PORT MIDSPAN 15.4W AC IN |
|  | NPD-5004-POE | PoE FOUR-PORT MIDSPAN 15.4W AC IN |

Midspan 802.3 af/at PoE+ HPoE

| | | |
|--|--------------|---|
|  | NPD-6001B | MIDSPAN, SINGLE POT, 60W, AC IN, Surge protection |
|  | NPD-9501A | MIDSPAN, 95W |
|  | NPD-9501-E | PoE Midspan Injector |
|  | NDA-9501-PMA | Pole mount adapter for NPD-9501-E |

Midspan 802.3 bt PoE++

| | | |
|---|--------------|-------------------------------|
|  | NPD-6001C | 60W bt, single port, AC in |
|  | NPD-6001C-E | 60W bt, single port, outdoor |
|  | NPD-9001-E | 90W bt, single port, outdoor |
|  | NPD-6001-I | 60W bt, single port, industr |
|  | NDA-6090-PMA | bt midspan outdoor pole mount |

Alimentatori

| | | |
|---|-------------|--|
|  | UPA-1220-50 | Power Supp,220VAC 50Hz, 12VDC 1A Out |
|  | UPA-2450-50 | Power Supp,220VAC 50Hz, 24VAC 50VA Out |
|  | TC8235GIT | GROUND LOOP ISOLATION TRANSFORMER. |

Tastiere Videoregistratori e Software



KBD-UXF

KBD Universal XF

Accessori



KBD-220PS

PSU (220-240VAC/15VDC, 600MA, 50/60HZ)



S1385

GUI CONT CABLE SYS 4 CONSOLE-P

Ethernet

| | | |
|--|-------------|--|
|  | SFP-2 | SFP FIBER MODULE, MM, 1310NM, 2KM, 2LC |
|  | SFP-3 | SFP FIBER MODULE, SM, 1310NM, 20KM, 2LC |
|  | SFP-25 | SFP FIBR MOD, MM, 1310/1550NM, 2KM, 1SC |
|  | SFP-26 | SFP FIBR MOD, MM, 1550/1310NM, 2KM, 1SC |
|  | C1-IN | EIA 19 IN RACK FOR CNFE2MC, 120-230VAC |
|  | C1-BP | BLANK PANEL FOR C1 RACK, 1 SLOT WIDTH |
|  | VG4-SFPSCKT | ETHERNET TO SFP INTERFACE KIT |
|  | CNFE2MC/IN | MEDIA CONVERTER W/SFP SOCKET, 120-230VAC |
|  | FE2MC-B | MEDIA CONVERTER BOARD WITH SFP SOCKET |

Cavi

| | | |
|--|---------------|--|
|  | NDA-MCBNC-01M | Analog cable, BNC connector |
|  | NBN-MCSMB-03M | MONITOR CABLE SMB 0.3M |
|  | NBN-MCSMB-30M | MONITOR CABLE SMB 3.0M |
|  | S1460 | 1-METER SERVICE/MONITOR CABLE FOR FLEXIDOME XT SERIES. |

Tools

| | | |
|--|-------------|---|
|  | NCA-WLAN-EU | Wireless installation dongle EU |
|  | TC9311PM3T | INSTALLATION TOOL FOR TC9311PM3, LTC 9213 & LTC 9225 POLE MOUNT ADAPTERS. |

DIVAR IP 4000/6000/7000 AIO con BVMS 11 o sup.

| | | |
|--|--------------|--|
|  | MBV-BLIT-DIP | License Lite base for DIVAR IP AIO 4000/5000 |
|  | MBV-BPLU-DIP | DIVAR IP License Plus base for DIVAR IP AIO 6/7000 |
| | NOTA | NOTA |

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

BVMS Lite 11 e sup.

| | | |
|--|--------------|---|
|  | MBV-BLIT | BVMS Lite 11, Base license |
| | MBV-XCHANLIT | BVMS Lite 11, License Camera/decoder expansion |
| | MBV-XDURLIT | BVMS Lite 11, License Camera dual recording expansion |
| | MBV-XFOVLIT | BVMS Lite 11, License VRM Failover channel expansion |
| | MBV-XLPRIT | BVMS Lite 11, License LPR camera expansion |
| | MBV-XWSTLIT | BVMS Lite 11, License Workstation expansion |
| | MBV-FMAPLIT | BVMS Lite 11, License Online map functionality |
| | MBV-FOBJLIT | BVMS Lite 11, License Map-based tracking assistant |

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

BVMS Plus 11 o sup.

| | | |
|--|--------------|---|
|  | MBV-BPLU | BVMS Plus 11, Base license |
| | MBV-XCHANPLU | BVMS Plus 11, License Camera/decoder expansion |
| | MBV-XDURPLU | BVMS Plus 11, License Camera dual recording expansion |
| | MBV-XFOVPLU | BVMS Plus 11, License VRM Failover channel expansion |
| | MBV-XLPRPLU | BVMS Plus 11, License LPR camera expansion |
| | MBV-XWSTPLU | BVMS Plus 11, License Workstation expansion |
| | MBV-FMAPPLU | BVMS Plus 11, License Online map functionality |
| | MBV-FOBJPLU | BVMS Plus 11, License Map-based tracking assistant |
| | MBV-XSITEPLU | BVMS Plus 11, License Unmanaged site expansion |
| | MBV-XSUBPLU | BVMS Plus 11, License Subsystem expansion |

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

BVMS Pro 11 e sup.

| | | |
|--|--------------|---|
|  | MBV-BPRO | BVMS Professional 11, Base license |
| | MBV-XCHANPRO | BVMS Professional 11, License Camera/decoder expansion |
| | MBV-XDURPRO | BVMS Professional 11, License Camera dual recording expansion |
| | MBV-XFOVPRO | BVMS Professional 11, License VRM Failover channel expansion |
| | MBV-XLPRPRO | BVMS Professional 11, License LPR camera expansion |
| | MBV-XWSTPRO | BVMS Professional 11, License Workstation expansion |
| | MBV-FMAPPRO | BVMS Professional 11, License Online map functionality |
| | MBV-FOBJPRO | BVMS Professional 11, License Map-based tracking assistant |
| | MBV-XSITEPRO | BVMS Professional 11, License Unmanaged site expansion |
| | MBV-XSUBPRO | BVMS Professional 11, License Subsystem expansion |

MBV-
X100WSTPRO

BVMS Professional 11, License 100 Workstations expansion

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

Versioni indipendenti

**MBV-BVWR**

Base license BVMS viewer

MBV-XDVRVWR

BVMS Viewer DVR expansion > 11

MBV-XSITEVWR

BVMS Viewer Site expansion > 11

MBV-XCHANVWR

BVMS Viewer Camera/decoder expansion > 11

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

BVMS Monitor wall



MVS-MW-2D

Monitor Wall license for two displays



MVS-MW-4D

Monitor Wall license for four displays

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

BVMS DIVAR IP SMA 1 anno

| | |
|--------------|---|
| MBV-MLIT-DIP | SMA license DIVAR IP 4000/5000 for MBV-BLIT-DIP, 1 year |
| MBV-MPLU-DIP | SMA license for MBV-BPLU-DIP, 1 year |

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

BVMS Viewer SMA 1 anno

| | |
|----------|----------------------------|
| MBV-MVWR | License for MBV-BVWR-*,1yr |
|----------|----------------------------|

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

BVMS Lite SMA 1 anno

| | |
|--------------|--|
| MBV-MLIT | BVMS Software Maintenance, License for MBV-BLIT-*, 1yr |
| MBV-MCHANLIT | BVMS Software Maintenance, License for MBV-XCHANLIT-*, 1yr |
| MBV-MWSTLIT | BVMS Software Maintenance, License for MBV-XWSTLIT-*, 1yr |
| MBV-MFOVLIT | BVMS Software Maintenance, License for MBV-XFOVLIT-*, 1yr |

| | |
|-------------|---|
| MBV-MDURLIT | BVMS Software Maintenance, License for MBV-XDURLIT-*, 1yr |
| MBV-MMAPLIT | SMA license for MBV-FMAPLIT, 1 year |
| MBV-MLPRLIT | License for MBV-XLPRLIT-*,1yr |
| MBV-MOBLIT | SMA license for MBV-FOBLIT, 1 year |

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

BVMS Plus SMA 1 anno

| | |
|--------------|--|
| MBV-MPLU | BVMS Software Maintenance, License for MBV-BPLU-*, 1yr |
| MBV-MCHANPLU | BVMS Software Maintenance, License for MBV-XCHANPLU-*, 1yr |
| MBV-MWSTPLU | BVMS Software Maintenance, License for MBV-XWSTPLU-*, 1yr |
| MBV-MMVSPLU | BVMS Software Maintenance, License for MBV-XMVSPLU-*, 1yr |
| MBV-MFOVPLU | BVMS Software Maintenance, License for MBV-XFOVPLU-*, 1yr |

| | |
|--------------|--|
| MBV-MDURPLU | BVMS Software Maintenance, License for MBV-XDURPLU-*, 1yr |
| MBV-MSITEPLU | BVMS Software Maintenance, License for MBV-XSITEPLU-*, 1yr |
| MBV-MSUBPLU | License for MBV-XSUBPLU-*, 1yr |
| MBV-MLPRPLU | License for MBV-XLPRPLU-*, 1yr |
| MBV-MOBJPLU | SMA license for MBV-FOBJPLU, 1 year |
| MBV-MMAPPLU | SMA license for MBV-FMAPPLU, 1 year |

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

BVMS Professional SMA 1 anno

| | |
|--------------|---------------------------------------|
| MBV-MPRO | Maintenance BVMS Professional Edition |
| MBV-MCHANPRO | SMA license for MBV-XCHANPRO, 1 year |
| MBV-MWSTPRO | SMA license for MBV-XWSTPRO, 1 year |

| | |
|----------------|--|
| MBV-MMVSPRO | SMA license for MBV-XMVSPRO, 1 year |
| MBV-MDURPRO | SMA license for MBV-XDURPRO, 1 year |
| MBV-M100WSTPRO | SMA license for MBV-X100WSTPRO, 1 year |
| MBV-MMAPPRO | SMA license for MBV-FMAPPRO, 1 year |
| MBV-MSITEPRO | SMA license for MBV-XSITEPRO, 1 year |
| MBV-MLPRPRO | SMA license for MBV-XLPRPRO, 1 year |
| MBV-MFOVPRO | SMA license for MBV-XFOVPRO, 1 year |
| MBV-MOJBPRO | SMA license for MBV-FOJBPRO, 1 year |
| MBV-MOJBPRO | SMA license for MBV-FOJBPRO, 1 year |

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

BVMS Enterprise SMA 1 anno

| | |
|-------------|--|
| MBV-MENT | Maintenance BVMS Enterprise Edition |
| MBV-MSUBPRO | SMA license for MBV-XSUBPRO, 1 year |
| Nota | Le restanti licenze per BVMS Enterprise sono le stesse di BVMS Professional. |

Nota: E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

Intelligent Insights 1.0

| | |
|--------------|---------------------------------|
| IGI-DASH | License Dashboard expansion |
| IGI-XDATAAPI | License for Data API expansion |
| IGI-XRETENT | License 1yr data retention time |

Nota: Il servizio di supporto ed aggiornamento (SMA) è incluso per 90 giorni dalla data di attivazione. E' necessario essere Certificati ed essere in possesso di un SMA valido per accedere al supporto. Le licenze sono di tipo elettronico e vengono inviate tramite e-mail, contattare Bosch Security Systems per maggiori informazioni o consultare il sito internet www.boschsecurity.it

Intelligent Insights SMA

| | |
|--------------|-----------------------|
| IGI-MBASE | SMA for IGI-Base 1yr. |
| IGI-MDASH | SMA for IGI-Dash 1yr. |
| IGI-MDATAAPI | SMA for IGI-XDataAPI |
| IGI-MRETENT | SMA for IGI-XRetenT |

Cloud Based Solution



Remote Portal

Bosch Remote Portal



CBS-AAV-VGD

AI Alarm Verification

Video Security Client

| | | |
|--|-----------------|------------------------------|
|  | MFT-VSC | Video Security Client (VSC) |
|  | CBS-MOBILE | Licenza Mobile VideoView+ |
|  | CBS-MOBILE-DIP4 | VideoView+ for DIP 4000, 1yr |
|  | CBS-MOBILE-DIP5 | VideoView+ for DIP 5000, 1yr |
|  | CBS-MOBILE-DIP6 | VideoView+ for DIP 6000, 1yr |
|  | CBS-MOBILE-DIP7 | VideoView+ for DIP 7000, 1yr |

AUTODOME IP

| | | |
|--|-----------------|---|
|  | EWE-AD5HD-IWMP | 1 anno di estensione garanzia parti meccaniche telecamere IP: NDP-5512-Z30C, NDP-5512-Z30, NDP-5512-Z30L, NDP-5523-Z20, NDP-5523-Z30L, NDP-5522-Z30C, NDP-5522-Z30, NDP-5522-Z30L, NDP-5533-Z30L. |
|  | EWE-AD71IP-IWMP | 1 anno di estensione garanzia parti meccaniche telecamere IP: NDP-7602-Z40, NDP-7602-Z40L, NDP-7604-Z12L, NDP-7602-Z30-OC, NDP-7602-Z30K, NDP-7602-Z30CT, NDP-7602-Z30. |

MIC IP

| | | |
|--|-----------------|--|
|  | EWE-MIC7IF-IWMP | 1 anno di estensione garanzia parti meccaniche telecamere IP: NDP-7602-Z55BR, NDP-7602-Z55WR, NDP-7602-Z55GR, NDP-7602-Z55BR-OC, NDP-7602-Z55WR-OC, NDP-7602-Z55GR-OC, MIC-7604-Z12BR, MIC-7604-Z12WR, MIC-7604-Z12GR, MIC-7602-Z30BR, MIC-7602-Z30WR, MIC-7602-Z30GR, MIC-7602-Z30B, MIC-7602-Z30W, MIC-7602-Z30G, MIC-7602-Z30B, MIC-7602-Z30W, MIC-7602-Z30G, MIC-7602-Z30BRT, MIC-7602-Z30WRT, MIC-7602-Z30GRT, MIC-7604-Z12BRT, MIC-7604-Z12WRT, MIC-7604-Z12GRT, MIC-7604-Z12BR, MIC-7604-Z12WR, MIC-7604-Z12GR, MIC-7602-Z30BR, MIC-7602-Z30WR, MIC-7602-Z30GR, MIC-7512-Z30G, MIC-7522-Z32GR, MIC-7522-Z32WR, MIC-7522-Z32BR, MIC-7522-Z32G, MIC-7522-Z32W, MIC-7522-Z32B, MIC-7504-Z12GR, MIC-7504-Z12WR, MIC-7504-Z12BR. |
|  | EWE-MICIIR-IW | 1 anno di estensione garanzia per illuminatore: MIC-ILG-400, MIC-ILW-400, MIC-ILB-400. |
|  | EWE-MIC9IFF-IW | 1 anno di estensione garanzia parti meccaniche telecamere IP: MIC-9502-Z30xxxx. Per ordinare l'estensione di garanzia è necessario essere in possesso del numero seriale della telecamera IP. E' possibile applicare un massimo di 2 anni di estensione garanzia allo stesso prodotto. |

Decoder



EWE-VJHPD-IW

1 anno di estensione garanzia per decoder: VJD-7513 e VJD-7523.

Illuminatori



EWE-IIR940-IW

1 anno di estensione garanzia per illuminatori: IIR-50940-SR, IIR-50940-MR, IIR-50940-LR, IIR-50940-XR.



EWE-IIR850-IW

1 anno di estensione garanzia per illuminatori: IIR-50850-SR, IIR-50850-MR, IIR-50850-LR, IIR-50850-XR.

Tastiere



EWE-KBDUXF-IW

1 anno di estensione garanzia per tastiera: KBD-UXF.

Monitor



EWE-HPMON-IW

1 anno di estensione garanzia per monitor: UML-245-90, UML-275-90, UML-274-90, UML-324-90, UML-434-90, UML-554-90.

Indice generale - Video Systems

Telecamere IP

DINION IR (Bullet)

| | |
|-------------------------------------|---|
| DINION 3100i IR IVA Pro | 3 |
| DINION 5100i IR Starlight IVA Pro | 3 |
| DINION 7100i IR Starlight X IVA Pro | 3 |

DINION (Box)

| | |
|-------------------------------------|---|
| DINION IP 6000 Starlight EVA | 5 |
| DINION IP 7000 Starlight IVA CT | 5 |
| DINION 7100s IR Starlight X IVA Pro | 6 |
| Obiettivi | 6 |
| Custodie | 7 |
| Staffe | 8 |

DINION Thermal

| | |
|-----------------------------------|---|
| DINION thermal 8100i QVGA IVA Pro | 9 |
| DINION thermal 8100i VGA IVA Pro | 9 |

FLEXIDOME

| | |
|---|----|
| FLEXIDOME 3100i IVA Pro (interno) | 10 |
| FLEXIDOME 3100i IVA Pro | 10 |
| FLEXIDOME 5100i Starlight IVA Pro (interno) | 11 |
| FLEXIDOME 5100i Starlight IVA Pro | 11 |
| FLEXIDOME 8100i Starlight IVA Pro | 12 |
| FLEXIDOME 8100i Starlight X IVA Pro | 13 |
| FLEXIDOME IP 8000i Starlight IVA CT (interno) | 15 |
| FLEXIDOME IP 8000i Starlight X IVA CT (interno) | 15 |

FLEXIDOME Corner

| | |
|-----------------------------------|----|
| FLEXIDOME corner 7100i IR IVA Pro | 16 |
|-----------------------------------|----|

FLEXIDOME Dual

| | |
|---|----|
| FLEXIDOME Dual 7100i IR starlight IVA Pro | 17 |
|---|----|

FLEXIDOME Micro

| | |
|---|----|
| FLEXIDOME micro 3100i IVA Pro (interno) | 18 |
| FLEXIDOME micro 3100i IVA Pro | 19 |

FLEXIDOME Multi

| | |
|----------------------------------|----|
| FLEXIDOME Multi 7000i IVA Pro | 20 |
| FLEXIDOME Multi 7000i IR IVA Pro | 20 |

FLEXIDOME Panoramic

| | |
|---|----|
| FLEXIDOME panoramic 5100i IVA (interno) | 21 |
| FLEXIDOME panoramic 5100i IR IVA | 21 |

AUTODOME

| | |
|----------------------------------|----|
| AUTODOME IP 5000i Starlight EVA | 22 |
| AUTODOME IP 5100i Starlight EVA | 22 |
| AUTODOME 7100i Starlight IVA Pro | 22 |

MIC

| | |
|-------------------------------|----|
| MIC IP 7100i Starlight IVA CT | 24 |
| MIC IP 7100i Ultra 4K IVA CT | 24 |

Indice generale - Video Systems

MIC

| | |
|------------------------------------|----|
| MIC Inteox 7100i Starlight IVA Pro | 25 |
| MIC Inteox 7100i Ultra 4K IVA Pro | 25 |
| MIC IP 9000i fusion QVGA IVA CT | 26 |
| MIC IP 9000i fusion VGA IVA CT | 26 |
| Accessori testa palo | 27 |
| Accessori muro e palo | 27 |
| Accessori lavavetro | 29 |
| Accessori vari | 29 |
| Illuminatori MIC IP 7100i | 30 |

IVA PRO (Artificial Intelligence)

| | |
|--------------------------------------|----|
| IVA PRO Video Analisi a bordo camera | 31 |
| Analisi Audio a bordo camera | 32 |

Altoparlanti IP

Altoparlanti IP

| | |
|--------------------------|----|
| Altoparlanti IP a tromba | 33 |
|--------------------------|----|

Amplificatore IP

| | |
|------------------|----|
| Amplificatore IP | 34 |
|------------------|----|

Illuminatori

Illuminatori LED

| | |
|-------------------|----|
| Small Range (SR) | 35 |
| Medium Range (MR) | 35 |
| Long Range (LR) | 35 |
| Extra Range (XR) | 36 |

Accessori

| | |
|----------------|----|
| Cavi e collari | 37 |
| Alimentatori | 37 |

Decoder

Decoder

| | |
|---------|----|
| Decoder | 38 |
|---------|----|

Accessori

| | |
|-----------|----|
| Accessori | 39 |
|-----------|----|

Monitor

Monitor

| | |
|------------|----|
| 24 Pollici | 40 |
| 27 Pollici | 40 |
| 32 Pollici | 40 |
| 43 Pollici | 40 |
| 55 Pollici | 40 |

Accessori

| | |
|-----------|----|
| Accessori | 41 |
|-----------|----|

Accessori

Indice generale - Video Systems

Telecamere fisse e PTZ

| | |
|---|----|
| DINION 3100i IR, FLEXIDOME 3100i, FLEXIDOME micro 3100i e panoramic 5100i | 42 |
| DINION 5100i IR, DINION 7100i IR | 44 |
| FLEXIDOME 5100i | 45 |
| FLEXIDOME 8000i, FLEXIDOME 8100i (IR) | 46 |
| FLEXIDOME corner 7100i IR | 48 |
| FLEXIDOME dual 7100i IR | 48 |
| FLEXIDOME multi 7000i | 49 |
| AUTODOME 7100i | 49 |
| AUTODOME 4000i - 5000i | 51 |
| FLEXIDOME 4000i e 5000i | 51 |
| Pendenti universali | 51 |
| Alimentatori universali | 52 |
| Collari | 53 |

Alimentatori e midspan

| | |
|-------------------------------|----|
| Midspan 802.3 af/at PoE | 54 |
| Midspan 802.3 af/at PoE+ HPoE | 54 |
| Midspan 802.3 bt PoE++ | 55 |
| Alimentatori | 55 |

Tastiere

| | |
|---------------------------------------|----|
| Tastiere Videoregistratori e Software | 56 |
| Accessori | 56 |

Convertitori fibra

| | |
|----------|----|
| Ethernet | 57 |
|----------|----|

Tools

| | |
|-------|----|
| Cavi | 58 |
| Tools | 58 |

Software & VSaaS

BVMS sblocco DIVAR IP 4000/6000/7000

| | |
|--|----|
| DIVAR IP 4000/6000/7000 AIO con BVMS 11 o sup. | 59 |
|--|----|

BVMS Lite ed espansioni DIVAR IP 4000 (max.42ch)

| | |
|---------------------|----|
| BVMS Lite 11 e sup. | 60 |
|---------------------|----|

BVMS Plus ed espansioni DIVAR IP 6000/7000 (max.256ch)

| | |
|---------------------|----|
| BVMS Plus 11 o sup. | 61 |
|---------------------|----|

BVMS Professional (max.2.000ch)

| | |
|--------------------|----|
| BVMS Pro 11 e sup. | 62 |
|--------------------|----|

BVMS Viewer

| | |
|-----------------------|----|
| Versioni indipendenti | 64 |
|-----------------------|----|

BVMS altre licenze

| | |
|-------------------|----|
| BVMS Monitor wall | 65 |
|-------------------|----|

BVMS Assurance Pro (SMA)

| | |
|--------------------------|----|
| BVMS DIVAR IP SMA 1 anno | 66 |
| BVMS Viewer SMA 1 anno | 66 |
| BVMS Lite SMA 1 anno | 66 |

Indice generale - Video Systems

BVMS Assurance Pro (SMA)

| | |
|------------------------------|----|
| BVMS Plus SMA 1 anno | 67 |
| BVMS Professional SMA 1 anno | 68 |
| BVMS Enterprise SMA 1 anno | 70 |

Bosch Intelligent Insights

| | |
|--------------------------|----|
| Intelligent Insights 1.0 | 71 |
| Intelligent Insights SMA | 71 |

VSaaS - Cloud Services

| | |
|----------------------|----|
| Cloud Based Solution | 72 |
|----------------------|----|

Video Security Client

| | |
|-----------------------|----|
| Video Security Client | 73 |
|-----------------------|----|

Estensioni di garanzia

Telecamere IP

| | |
|-------------|----|
| AUTODOME IP | 74 |
| MIC IP | 74 |

Encoder e Decoder

| | |
|---------|----|
| Decoder | 75 |
|---------|----|

Illuminatori

| | |
|--------------|----|
| Illuminatori | 76 |
|--------------|----|

Accessori

| | |
|----------|----|
| Tastiere | 77 |
| Monitor | 77 |

I prezzi di listino - IVA esclusa - indicati devono essere intesi quali prezzi al pubblico meramente suggeriti. Nulla di quanto ivi contenuto è o può essere interpretato come finalizzato ad una diretta o indiretta fissazione dei prezzi di rivendita al pubblico. Ciascun operatore è infatti libero di applicare il prezzo di rivendita dallo stesso ritenuto opportuno ed adeguato, prescindendo dal prezzo suggerito di cui al listino di Bosch Security Systems S.p.A.

Indice alfabetico

| | | | | |
|------------------|-------------|--|--|--|
| A | Pag. | | | |
| AMN-P15-SIP | 34 | | | |
| C | Pag. | | | |
| C1-IN | 57 | | | |
| C1-BP | 57 | | | |
| CNFE2MC/IN | 57 | | | |
| CBS-AAV-VGD | 72 | | | |
| CBS-MOBILE | 73 | | | |
| CBS-MOBILE-DIP4 | 73 | | | |
| CBS-MOBILE-DIP5 | 73 | | | |
| CBS-MOBILE-DIP6 | 73 | | | |
| CBS-MOBILE-DIP7 | 73 | | | |
| E | Pag. | | | |
| EWE-AD5HD-IWMP | 74 | | | |
| EWE-AD711P-IWMP | 74 | | | |
| EWE-MIC7IF-IWMP | 74 | | | |
| EWE-MICIIR-IW | 74 | | | |
| EWE-MIC9IFF-IW | 74 | | | |
| EWE-VJHPD-IW | 75 | | | |
| EWE-IIR940-IW | 76 | | | |
| EWE-IIR850-IW | 76 | | | |
| EWE-KBDUXF-IW | 77 | | | |
| EWE-HPMON-IW | 77 | | | |
| F | Pag. | | | |
| FE2MC-B | 57 | | | |
| I | Pag. | | | |
| IIR-50850-SR | 35 | | | |
| IIR-50940-SR | 35 | | | |
| IIR-50850-MR | 35 | | | |
| IIR-50940-MR | 35 | | | |
| IIR-50850-LR | 35 | | | |
| IIR-50940-LR | 35 | | | |
| IIR-50850-XR | 36 | | | |
| IIR-50940-XR | 36 | | | |
| IIR-MNT-SLB | 37 | | | |
| IIR-MNT-DLB | 37 | | | |
| IIR-MNT-PMB | 37 | | | |
| IGI-DASH | 71 | | | |
| IGI-XDATAAPI | 71 | | | |
| IGI-XRETENT | 71 | | | |
| IGI-MBASE | 71 | | | |
| IGI-MDASH | 71 | | | |
| IGI-MDATAAPI | 71 | | | |
| IGI-MRETENT | 71 | | | |
| K | Pag. | | | |
| KBD-UXF | 56 | | | |
| KBD-220PS | 56 | | | |
| L | Pag. | | | |
| LVF-5005C-S1803 | 6 | | | |
| LVF-5003C-P2713 | 6 | | | |
| LVF-5005C-S0940 | 6 | | | |
| LVF-8008C-P0413 | 7 | | | |
| LFF-8012C-D50 | 7 | | | |
| LFF-8012C-D35 | 7 | | | |
| LTC 9210/01 | 8 | | | |
| LTC 9215/00 | 8 | | | |
| LTC 9215/00S | 8 | | | |
| LTC 9213/01 | 8 | | | |
| LTC 9219/01 | 8 | | | |
| LHN-UC15W-SIP | 33 | | | |
| LHN-UC15L-SIP | 33 | | | |
| LTC 9230/01 | 52 | | | |
| M | Pag. | | | |
| M118VG1250IR | 6 | | | |
| MIC-7522-Z30B | 24 | | | |
| MIC-7522-Z30W | 24 | | | |
| MIC-7522-Z30G | 24 | | | |
| MIC-7522-Z30BR | 24 | | | |
| MIC-7522-Z30WR | 24 | | | |
| MIC-7522-Z30GR | 24 | | | |
| MIC-7504-Z12BR | 24 | | | |
| MIC-7504-Z12WR | 24 | | | |
| MIC-7504-Z12GR | 24 | | | |
| MIC-7602-Z30WR | 25 | | | |
| MIC-7602-Z30BR | 25 | | | |
| MIC-7602-Z30G | 25 | | | |
| MIC-7602-Z30W | 25 | | | |
| MIC-7602-Z30B | 25 | | | |
| MIC-7602-Z30GR | 25 | | | |
| MIC-7604-Z12GR | 25 | | | |
| MIC-7604-Z12WR | 25 | | | |
| MIC-7604-Z12BR | 25 | | | |
| MIC-9502-Z30WQS | 26 | | | |
| MIC-9502-Z30BQS | 26 | | | |
| MIC-9502-Z30GQS | 26 | | | |
| MIC-9502- | 26 | | | |
| MIC-9502-Z30BVS9 | 26 | | | |
| MIC-9502-Z30WVF9 | 26 | | | |
| MIC-9502-Z30BVF9 | 26 | | | |
| MIC-9502-Z30GVF9 | 26 | | | |
| MIC-9502-Z30WVS | 26 | | | |
| MIC-9502-Z30BVS | 26 | | | |
| MIC-9502-Z30WVF | 27 | | | |
| MIC-9502-Z30BVF | 27 | | | |
| MIC-9502-Z30GVF | 27 | | | |
| MIC-DCA-HW | 27 | | | |
| MIC-DCA-HB | 27 | | | |
| MIC-DCA-HG | 27 | | | |
| MIC-WMB-WD | 27 | | | |
| MIC-SCA-WD | 27 | | | |
| MIC-SPR-WD | 27 | | | |
| MIC-CMB-WD | 27 | | | |
| MIC-SCA-BD | 28 | | | |
| MIC-WMB-BD | 28 | | | |
| MIC-SPR-BD | 28 | | | |
| MIC-CMB-BD | 28 | | | |
| MIC-WMB-MG | 28 | | | |
| MIC-SCA-MG | 28 | | | |
| MIC-SPR-MG | 28 | | | |
| MIC-CMB-MG | 28 | | | |
| MIC-PMB | 28 | | | |
| MIC-WKT-IR | 29 | | | |
| MIC-ALM-WAS-24 | 29 | | | |
| MIC-9K-SNSHLD-W | 29 | | | |
| MIC-7100I- | 29 | | | |
| MIC-M25XNPT34 | 29 | | | |
| MIC-IP67-5PK | 29 | | | |
| MIC-9K-IP67-5PK | 29 | | | |
| MIC-ILB-400 | 30 | | | |
| MIC-ILW-400 | 30 | | | |

Indice alfabetico

| | | | | | |
|---------------|----|----------------|----|---------------|-------------|
| MIC-ILG-400 | 30 | MBV-XSITEPLU | 61 | MBV-MMAPPLU | 68 |
| MVC-IVA-PRI | 31 | MBV-XSUBPLU | 61 | MBV-MPRO | 68 |
| MVC-IVA-BLD | 31 | MBV-BPRO | 62 | MBV-MCHANPRO | 68 |
| MVC-IVA-PER | 31 | MBV-XCHANPRO | 62 | MBV-MWSTPRO | 68 |
| MVC-IVA-TRA | 31 | MBV-XDURPRO | 62 | MBV-MMVSPRO | 69 |
| MVC-IVA-TUN | 31 | MBV-XFOVPRO | 62 | MBV-MDURPRO | 69 |
| MVC-IVA-VGD | 31 | MBV-XLPRPRO | 62 | MBV- | 69 |
| MVC-IVA-PPE | 31 | MBV-XWSTPRO | 62 | MBV-MMAPPRO | 69 |
| MVC-IVA-LPR | 31 | MBV-FMAPPRO | 62 | MBV-MSITEPRO | 69 |
| MVC-IVA-MMR | 31 | MBV-FOBJPRO | 62 | MBV-MLPRPRO | 69 |
| MVC-IVA-LPRX | 31 | MBV-XSITEPRO | 62 | MBV-MFOVPRO | 69 |
| MVC-IVA-DGS | 32 | MBV-XSUBPRO | 62 | MBV-MOBJPRO | 69 |
| MVC-IVA-APC | 32 | MBV-X100WSTPRO | 63 | MBV-MOBJPRO | 69 |
| MVC-IVA-IT | 32 | MBV-BVWR | 64 | MBV-MENT | 70 |
| MFT-CM | 32 | MBV-XDVRVWR | 64 | MBV-MSUBPRO | 70 |
| MFT-EVA | 32 | MBV-XSITEVWR | 64 | MFT-VSC | 73 |
| MFT-IVA | 32 | MBV-XCHANVWR | 64 | N | Pag. |
| MVC-IAA-GUN | 32 | MVS-MW-2D | 65 | NBE-3702-AL | 3 |
| MVC-IAA-GUN5Y | 32 | MVS-MW-4D | 65 | NBE-3703-AL | 3 |
| MVC-IAA-GUN3Y | 32 | MBV-MLIT-DIP | 66 | NBE-5704-AL | 3 |
| MVC-IAA-GUN1Y | 32 | MBV-MPLU-DIP | 66 | NBE-5703-AL | 3 |
| MVS-FCOM-PRCL | 39 | MBV-MVWR | 66 | NBE-5702-AL | 3 |
| MBV-BLIT-DIP | 59 | MBV-MLIT | 66 | NBE-7702-ALX | 3 |
| MBV-BPLU-DIP | 59 | MBV-MCHANLIT | 66 | NBE-7702-ALXT | 3 |
| MBV-BLIT | 60 | MBV-MWSTLIT | 66 | NBE-7703-ALX | 3 |
| MBV-XCHANLIT | 60 | MBV-MFOVLIT | 66 | NBE-7703-ALXT | 3 |
| MBV-XDURLIT | 60 | MBV-MDURLIT | 67 | NBE-7704-ALX | 4 |
| MBV-XFOVLIT | 60 | MBV-MMAPLIT | 67 | NBE-7704-AL | 4 |
| MBV-XLPRLIT | 60 | MBV-MLPRLIT | 67 | NBE-7704-ALT | 4 |
| MBV-XWSTLIT | 60 | MBV-MOBLIT | 67 | NBN-63013-B | 5 |
| MBV-FMAPLIT | 60 | MBV-MPLU | 67 | NBN-63023-B | 5 |
| MBV-FOBJLIT | 60 | MBV-MCHANPLU | 67 | NBN-65023-B | 5 |
| MBV-BPLU | 61 | MBV-MWSTPLU | 67 | NBN-73013-BA | 5 |
| MBV-XCHANPLU | 61 | MBV-MMVSPLU | 67 | NBN-73023-BA | 5 |
| MBV-XDURPLU | 61 | MBV-MFOVPLU | 67 | NBN-75023-BA | 5 |
| MBV-XFOVPLU | 61 | MBV-MDURPLU | 68 | NBI-7803S-AXT | 6 |
| MBV-XLPRPLU | 61 | MBV-MSITEPLU | 68 | NBI-7803S-AX | 6 |
| MBV-XWSTPLU | 61 | MBV-MSUBPLU | 68 | NBI-7803-AXT | 6 |
| MBV-FMAPPLU | 61 | MBV-MLPRPLU | 68 | NBI-7803-AX | 6 |
| MBV-FOBJPLU | 61 | MBV-MOBJPLU | 68 | | |

Indice alfabetico

| | | | | | |
|----------------|----|----------------|----|-----------------|----|
| NBI-7802-AXT | 6 | NDE-8704-RT | 13 | NDM-7703-A | 20 |
| NBI-7802-AX | 6 | NDE-8704-RT-H | 13 | NDM-7702-A | 20 |
| NBT-8700-F03QF | 9 | NDE-8702-RX | 13 | NDM-7703-AL | 20 |
| NBT-8700-F05QF | 9 | NDE-8702-RX-H | 13 | NDM-7702-AL | 20 |
| NBT-8700-F09QF | 9 | NDE-8702-RXL | 13 | NDS-5704-F360 | 21 |
| NBT-8700-F18QF | 9 | NDE-8702-RXL-H | 13 | NDS-5703-F360 | 21 |
| NBT-8701-F06VF | 9 | NDE-8702-RXT | 13 | NDS-5704-F360LE | 21 |
| NBT-8701-F14VF | 9 | NDE-8702-RXT-H | 13 | NDS-5703-F360LE | 21 |
| NBT-8701-F25VF | 9 | NDE-8703-RX | 14 | NDP-5522-Z30C | 22 |
| NBT-8701-F42VF | 9 | NDE-8703-RX-H | 14 | NDP-5522-Z30 | 22 |
| NDI-3702-A | 10 | NDE-8703-RXL | 14 | NDP-5522-Z30L | 22 |
| NDI-3702-AL | 10 | NDE-8703-RXL-H | 14 | NDP-5533-Z30L | 22 |
| NDI-3703-A | 10 | NDE-8703-RXT | 14 | NDP-7602-Z40 | 22 |
| NDI-3703-AL | 10 | NDE-8703-RXT-H | 14 | NDP-7602-Z40L | 22 |
| NDI-3702-A-IO | 10 | NDE-8704-RX | 14 | NDP-7604-Z12L | 22 |
| NDE-3702-AL | 10 | NDE-8704-RX-H | 14 | NDP-7802-Z40 | 22 |
| NDE-3703-AL | 10 | NDE-8704-RXL | 14 | NDP-7802-Z40L | 22 |
| NDE-3703-AL-IO | 10 | NDE-8704-RXL-H | 14 | NDP-7804-Z12L | 23 |
| NDV-5702-A | 11 | NDV-8502-R | 15 | NDA-U-CBBS | 42 |
| NDV-5702-AL | 11 | NDV-8503-R | 15 | NDA-3083-TBLE | 42 |
| NDV-5703-A | 11 | NDV-8504-R | 15 | NDA-3083-TBLV | 42 |
| NDV-5703-AL | 11 | NDV-8502-RX | 15 | NDA-3083-SMB | 42 |
| NDV-5704-A | 11 | NDV-8503-RX | 15 | NDA-3083-LWMT | 42 |
| NDV-5704-AL | 11 | NCE-7703-FK | 16 | NDA-3083-PLEN | 42 |
| NDE-5702-A | 11 | NDD-7803-AL | 17 | NDA-3083-PIP | 42 |
| NDE-5702-AL | 11 | NDD-7802-AL | 17 | NDA-5080-PIP | 42 |
| NDE-5703-A | 11 | NUV-3703-F02H | 18 | NDA-3082-PIP | 42 |
| NDE-5703-AL | 11 | NUV-3702-F04H | 18 | NDA-5081-PIP | 42 |
| NDE-5704-A | 12 | NUV-3703-F06 | 18 | NDA-3081-4S | 43 |
| NDE-5704-AL | 12 | NUV-3703-F04 | 18 | NDA-5081-PLEN | 43 |
| NDE-8703-R | 12 | NUV-3703-F02 | 18 | NDA-5080-TM | 43 |
| NDE-8703-R-H | 12 | NUV-3702-F06 | 18 | NDA-5081-TM | 43 |
| NDE-8703-RL | 12 | NUV-3702-F04 | 18 | NDA-5080-CMB | 43 |
| NDE-8703-RL-H | 12 | NUV-3702-F02 | 18 | NDA-5080-PIPW | 43 |
| NDE-8703-RT | 12 | NUE-3703-F06 | 19 | NDA-5081-PC | 43 |
| NDE-8703-RT-H | 12 | NUE-3703-F04 | 19 | NDA-5080-PC | 43 |
| NDE-8704-R | 12 | NUE-3703-F02 | 19 | NDA-3083-BH | 43 |
| NDE-8704-R-H | 12 | NUE-3702-F06 | 19 | NBA-7070-LI | 44 |
| NDE-8704-RL | 13 | NUE-3702-F04 | 19 | NBA-7070-LIT | 44 |
| NDE-8704-RL-H | 13 | NUE-3702-F02 | 19 | NBA-7070-LW | 44 |

Indice alfabetico

| | | | | | |
|-----------------|----|----------------|----|---------------|-------------|
| NBA-7070-LWT | 44 | NDA-7042-PIP | 48 | NDA-U-PA0 | 52 |
| NBA-7070-PFT | 44 | NDA-7042-PC | 48 | NDA-U-WMP | 53 |
| NDA-U-CBB | 44 | NDA-7042-WP | 48 | NDA-U-PMAS | 53 |
| NBA-7070-PA0 | 44 | NDA-7042-TBL | 48 | NDA-U-PMAL | 53 |
| NBA-7070-PA1 | 44 | NDA-7042-CBL | 48 | NDA-U-CMT | 53 |
| NBA-7070-PA2 | 44 | NDA-7051-PIPW | 49 | NPD-5001-POE | 54 |
| NDA-5070-PIPW | 45 | NDA-7050-PIPW | 49 | NPD-5004-POE | 54 |
| NDA-5070-PIP | 45 | NDA-7051-CA | 49 | NPD-6001B | 54 |
| NDA-5070-LWMT | 45 | NDA-7051-CA | 49 | NPD-9501A | 54 |
| NDA-5070-IC | 45 | NDA-7100-PA2H | 49 | NPD-9501-E | 54 |
| NDA-5070-PLEN | 45 | NDA-7100-PA2HF | 49 | NDA-9501-PMA | 54 |
| NDA-MCSMB-03M | 45 | NDA-7100-PA1H | 49 | NPD-6001C | 55 |
| NDA-MCSMB-30M | 45 | NDA-7100-PA1HF | 49 | NPD-6001C-E | 55 |
| NDA-5070-PC | 45 | NDA-7100-PA0HF | 49 | NPD-9001-E | 55 |
| NDA-5070-TBL | 45 | NDA-7100-PA0H | 49 | NPD-6001-I | 55 |
| NDA-5070-TBLI | 45 | NDA-7100-PEN | 50 | NDA-6090-PMA | 55 |
| NDA-5070-CBL | 46 | NDA-7100-PENF | 50 | NDA-MCBNC-01M | 58 |
| NDA-5070-CBLI | 46 | NDA-7100-PIPE | 50 | NBN-MCSMB-03M | 58 |
| NDA-8000-WP | 46 | NDA-PEND- | 50 | NBN-MCSMB-30M | 58 |
| NDA-8000-WPIR | 46 | NDA-7100-PIPEF | 50 | NCA-WLAN-EU | 58 |
| NDA-8000-PIP | 46 | NDA-7100-CBL | 50 | NOTA | 59 |
| NDA-8000-PIPW | 46 | NDA-U-PSU2H | 50 | Nota | 70 |
| NDA-8000-SP | 46 | NDA-U-PSU0H | 50 | P | Pag. |
| NDA-8000-PIPWIR | 46 | NDA-U-PSU1H | 50 | PSU-IIR-35 | 37 |
| NDA-8002-PLEN | 46 | NDA-7100-HCBL | 50 | PSU-IIR-60 | 37 |
| NDA-8002-IC | 46 | NDA-7100-TBL | 50 | PSU-IIR-100 | 37 |
| NDA-8001-PLEN | 47 | NDA-7100-WP | 51 | R | Pag. |
| NDA-8001-IC | 47 | NDA-5020-PTBL | 51 | Remote Portal | 72 |
| NDA-8000-PC | 47 | NDA-5031-PIP | 51 | S | Pag. |
| NDA-8000-PCIR | 47 | NDA-5030-PIP | 51 | ST650 | 41 |
| NDA-8000-CBL | 47 | NDA-FMT-DOME | 51 | S1385 | 56 |
| NDA-8000-TBL | 47 | NDA-U-WMT | 51 | SFP-2 | 57 |
| NDA-8000-HCBL | 47 | NDA-U-PMT | 51 | SFP-3 | 57 |
| NDA-8000-CND | 47 | NDA-U-PMTS | 51 | SFP-25 | 57 |
| NDA-8001-IP | 47 | NDA-U-PMTE | 51 | SFP-26 | 57 |
| NDA-7080-CBB | 48 | NDA-U-RMT | 52 | S1460 | 58 |
| NDA-7080-IR940 | 48 | NDA-U-PSMB | 52 | T | Pag. |
| NDA-7080-FP | 48 | NDA-U-DWMT | 52 | TC9210U | 8 |
| NDA-7080-TC | 48 | NDA-U-PA2 | 52 | TC9208 | 8 |
| NDA-7042-PIPW | 48 | NDA-U-PA1 | 52 | | |

Indice alfabetico

| | |
|----------------|-------------|
| TC8235GIT | 55 |
| TC9311PM3T | 58 |
| U | Pag. |
| UHO-POE-10 | 7 |
| UHO-HBGS-11 | 7 |
| UHO-HBGS-51 | 7 |
| UHI-OG-0 | 7 |
| UHI-OGS-0 | 7 |
| UML-245-90 | 40 |
| UML-275-90 | 40 |
| UML-324-90 | 40 |
| UML-434-90 | 40 |
| UML-554-90 | 40 |
| UMM-LW-20B | 41 |
| UMM-LW-30B | 41 |
| UMM-LED27-SD | 41 |
| UMM-WMT-32 | 41 |
| UPA-1220-50 | 55 |
| UPA-2450-50 | 55 |
| V | Pag. |
| VSP-UHO-POE-10 | 7 |
| VJD-7533 | 38 |
| VJD-IPM-X8C | 39 |
| VJD-VOCS-1D | 39 |
| VJD-KBD-X1 | 39 |
| VG4-SFP SCKT | 57 |

Una tradizione di innovazione e qualità

Da più di 125 anni, il nome di Bosch è riconosciuto per qualità e affidabilità. Bosch è il fornitore globale di soluzioni tecnologiche innovative supportato da eccellenti servizi di assistenza. Bosch Security Systems offre un'ampia gamma di prodotti per la sicurezza, la comunicazione e soluzioni audio, utilizzati quotidianamente in tutto il mondo da enti governativi, prestigiose sedi pubbliche e commerciali, scuole e residenze.

Per saperne di più visita il sito
www.boschsecurity.it



Bosch Security Systems

Via M.A. Colonna 35
20149 Milano

Tel 02 3696 3954
Fax 02 3696 3907
www.boschsecurity.it
it.securitysystems@bosch.com

© Bosch Security Systems, 2025
Con riserva di apportare modifiche