











Data Listino 20 MAGGIO 2021 (1.4.2.9)

TELECAMERE IP	Articolo	
	Lettura Targhe	
		
	TVB-5412	
	Telecamera lettura targhe TruVision, H.264, 1080p, ottica varifocale 2,8-12mm motorizzata, Super Low Light, WDR, true D/N, 50m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, IP66, ONVIF, Wiegand	
	TVB-5413	
	Telecamera lettura targhe TruVision, H.264, 1080p, ottica varifocale 8-32mm motorizzata, Super Low Light, WDR, true D/N, 80m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, IP66, ONVIF, Wiegand	
Serie 5		
		
TVB-5501		
TruVision IP Bullet Camera, H.265/H.264, 3MPX, Low Light, 4mm Fixed Lens, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67. Compatibile con accessorio di fissaggio TVB-BB1, TVB-2G-AN		
TVB-5502		


Articolo	
TruVision IP Bullet Camera, H.265/H.264, 8MPX/4K, 4mm Fixed Lens, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67. Compatibile con accessorio di fissaggio TVB-BB1, TVB-2G-AN	
TVD-5501	
TruVision IP Dome Camera, H.265/H.264, 3MPX, Low Light, 2.8mm Fixed Lens, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, Audio, I/Os, PoE (802.3-af)/12VDC, IP67, IK10. Compatibile con accessori di fissaggio TVD-CB3 + DR-RWM-AD, TVD-SNB, TVD-M-CMA, TVD-M-PMA, TVD-SNB-BB, TVD-CBW, TVD-PPB, TVD-M2-WM.	
TVD-5502	
TruVision IP Dome Camera, H.265/H.264, 8MPX, 2.8mm Fixed Lens, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, Audio, I/Os, PoE (802.3-af)/12VDC, IP67, IK10. Compatibile con accessori di fissaggio TVD-CB3 + DR-RWM-AD, TVD-SNB, TVD-M-CMA, TVD-M-PMA, TVD-SNB-BB, TVD-CBW, TVD-PPB, TVD-M2-WM.	
TVT-5501	
TruVision IP Turret Camera, H.265/H.264, 3MPX, Low Light, 4mm Fixed Lens, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67. Compatibile con accessori di fissaggio TVD-CB3 + TVD-SNB, TVD-CBW, TVD-PPB o TVD-BB3 o TVD-BB3A.	
TVT-5502	
TruVision IP Turret Camera, H.265/H.264, 8MPX, 4mm Fixed Lens, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67. Compatibile con accessori di fissaggio TVD-CB3 + TVD-SNB, TVD-CBW, TVD-PPB o TVD-BB3 o TVD-BB3A.	
Serie 6	
	

TELECAMERE IP







Data Listino 20 MAGGIO 2021 (1.4.2.9)







	Articolo	
TELECAMERE IP	TVB-5601	
	<p>Telecamera Bullet TruVision IP, 2MPx, H.265/H.264, ottica fissa con focale da 4mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67. Compatibile con accessori di fissaggio TVB-BB1, TVB-2G-AD.</p>	 <small>truVision</small>
	TVB-5602	
	<p>Telecamera Bullet TruVision IP, 4MPx, H.265/H.264, ottica fissa con focale da 4mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67. Compatibile con accessori di fissaggio TVB-BB1, TVB-2G-AD.</p>	 <small>truVision</small>
	TVB-5603	
	<p>Telecamera Bullet TruVision IP, 8MPx/4K, H.265/H.264, ottica fissa con focale da 4mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67. Compatibile con accessori di fissaggio TVB-BB1, TVB-2G-AD.</p>	 <small>truVision</small>
TVB-5604		
<p>Telecamera Bullet TruVision IP, 2MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 50m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10.</p>	 <small>truVision</small>	
TVB-5605		
<p>Telecamera Bullet TruVision IP, 4MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 50m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10.</p>	 <small>truVision</small>	
TVB-5606		






Articolo	
TELECAMERE IP Telecamera Bullet TruVision IP, 8MPx/4K, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 50m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10.	
TVD-5601 Telecamera Dome TruVision IP, 2MPx, H.265/H.264, ottica fissa con focale da 2.8mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10. Compatibile con accessori di fissaggio TVD-CB3 + DR-RWM-AD, TVD-SNB, TVD-M-CMA, TVD-M-PMA, TVD-SNB-BB, TVD-CBW, TVD-PPB.	
TVD-5602 Telecamera Dome TruVision IP, 4MPx, H.265/H.264, ottica fissa con focale da 2.8mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10. Compatibile con accessori di fissaggio TVD-CB3 + DR-RWM-AD, TVD-SNB, TVD-M-CMA, TVD-M-PMA, TVD-SNB-BB, TVD-CBW, TVD-PPB.	
TVD-5603 Telecamera Dome TruVision IP, 8MPx/4K, H.265/H.264, ottica fissa con focale da 2.8mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10. Compatibile con accessori di fissaggio TVD-CB3 + DR-RWM-AD, TVD-SNB, TVD-M-CMA, TVD-M-PMA, TVD-SNB-BB, TVD-CBW, TVD-PPB.	
TVD-5604 Telecamera Dome TruVision IP, 2MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10. Compatibile con accessori di fissaggio TVD-VFM2, TVD-CB7, TVD-SNB, TVD-M-CMA, TVD-M-PMA, TVD-SNB-BB, TVD-CBW, TVD-PPB.	
TVD-5605 Telecamera Dome TruVision IP, 4MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10. Compatibile con accessori di fissaggio TVD-VFM2, TVD-CB7, TVD-SNB, TVD-M-CMA, TVD-M-PMA, TVD-SNB-BB, TVD-CBW, TVD-PPB.	














Data Listino 20 MAGGIO 2021 (1.4.2.9)







	Articolo	
TELECAMERE IP	TVD-5606	
	<p>Telecamera Dome TruVision IP, 8MPx/4K, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10. Compatibile con accessori di fissaggio TVD-VFM2, TVD-CB7, TVD-SNB, TVD-M-CMA, TVD-M-PMA, TVD-SNB-BB, TVD-CBW, TVD-PPB.</p>	
	TVT-5601	
	<p>Telecamera Turret TruVision IP, 2MPx, H.265/H.264, ottica fissa con focale da 2.8mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, colore grigio. Compatibile con accessori di fissaggio TVD-CB3 + TVD-SNB, TVD-CBW, TVD-PPB o TVD-BB3 o TVD-BB3A.</p>	
	TVT-5602	
	<p>Telecamera Turret TruVision IP, 2MPx, H.265/H.264, ottica fissa con focale da 2.8mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, colore bianco. Compatibile con accessori di fissaggio TVD-CB3 + TVD-SNB, TVD-CBW, TVD-PPB o TVD-BB3 o TVD-BB3A.</p>	
TVT-5603		
<p>Telecamera Turret TruVision IP, 2MPx, H.265/H.264, ottica fissa con focale da 2.8mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, colore nero. Compatibile con accessori di fissaggio TVD-CB3 + TVD-SNB, TVD-CBW, TVD-PPB o TVD-BB3 o TVD-BB3A.</p>		
TVT-5604		
<p>Telecamera Turret TruVision IP, 4MPx, H.265/H.264, ottica fissa con focale da 2.8mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, colore grigio. Compatibile con accessori di fissaggio TVD-CB3 + TVD-SNB, TVD-CBW, TVD-PPB o TVD-BB3 o TVD-BB3A.</p>		
TVT-5605		

Articolo	
<p>TELECAMERE IP</p> <p>Telecamera Turret TruVision IP, 4MPx, H.265/H.264, ottica fissa con focale da 2.8mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, colore bianco. Compatibile con accessori di fissaggio TVD-CB3 + TVD-SNB, TVD-CBW, TVD-PPB o TVD-BB3 o TVD-BB3A.</p>	
<p>TVT-5606</p> <p>Telecamera Turret TruVision IP, 4MPx, H.265/H.264, ottica fissa con focale da 2.8mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, colore nero. Compatibile con accessori di fissaggio TVD-CB3 + TVD-SNB, TVD-CBW, TVD-PPB o TVD-BB3 o TVD-BB3A.</p>	
<p>TVT-5607</p> <p>Telecamera Turret TruVision IP, 8MPx/4K, H.265/H.264, ottica fissa con focale da 2.8mm, True D/N, WDR, 30m IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, colore grigio. Compatibile con accessori di fissaggio TVD-CB3 + TVD-SNB, TVD-CBW, TVD-PPB o TVD-BB3 o TVD-BB3A.</p>	
<p>TVT-5608</p> <p>Telecamera Turret TruVision IP, 2MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, colore grigio. Compatibile con accessori di fissaggio TVD-CB6 + TVD-SNB, TVD-CBW, TVD-PPB.</p>	
<p>TVT-5609</p> <p>Telecamera Turret TruVision IP, 4MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, colore grigio. Compatibile con accessori di fissaggio TVD-CB6 + TVD-SNB, TVD-CBW, TVD-PPB.</p>	
<p>TVT-5610</p> <p>Telecamera Turret TruVision IP, 4MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, colore bianco. Compatibile con accessori di fissaggio TVD-CB6 + TVD-SNB, TVD-CBW, TVD-PPB.</p>	





	Articolo	
TELECAMERE IP	TVT-5611	
	Telecamera Turret TruVision IP, 8MPx/4K, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, colore grigio. Compatibile con accessori di fissaggio TVD-CB6 + TVD-SNB, TVD-CBW, TVD-PPB.	
	TVW-5601	
	Telecamera Wedge TruVision IP, 2MPx, H.265/H.264, ottica fissa con focale da 2,0mm, True D/N, WDR, 10m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP66, IK8, colore grigio. Compatibile con accessori di fissaggio TVD-CB2, TVD-M2-WM con DR-RWM-AD	
	TVW-5602	
	Telecamera Wedge TruVision IP, 2MPx, H.265/H.264, ottica fissa con focale da 2,8mm, True D/N, WDR, 10m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP66, IK8, colore grigio. Compatibile con accessori di fissaggio TVD-CB2, TVD-M2-WM con DR-RWM-AD	
TVW-5603		
Telecamera Wedge TruVision IP, 2MPx, H.265/H.264, ottica fissa con focale da 2,8mm, True D/N, WDR, 10m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP66, IK8, colore bianco. Compatibile con accessori di fissaggio TVD-CB2, TVD-M2-WM con DR-RWM-AD		
TVW-5604		
Telecamera Wedge TruVision IP, 2MPx, H.265/H.264, ottica fissa con focale da 2,8mm, True D/N, WDR, 10m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP66, IK8, colore nero. Compatibile con accessori di fissaggio TVD-CB2, TVD-M2-WM con DR-RWM-AD		
TVW-5605		

Articolo	
<p>TELECAMERE IP</p> <p>Telecamera Wedge TruVision IP, 4MPx, H.265/H.264, ottica fissa con focale da 2,8mm, True D/N, WDR, 10m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP66, IK8, colore grigio. Compatibile con accessori di fissaggio TVD-CB2, TVD-M2-WM con DR-RWM-AD</p>	
<p>Serie 6H (cavi di collegamento)</p>	
	
<p>TVB-5604H</p>	
<p>Telecamera Bullet TruVision IP, 2MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 50m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, CABLE HARNESS con BNC.</p>	
<p>TVB-5605H</p>	
<p>Telecamera Bullet TruVision IP, 4MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 50m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, CABLE HARNESS con BNC.</p>	
<p>TVB-5606H</p>	
<p>Telecamera Bullet TruVision IP, 8MPx/4K, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 50m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, CABLE HARNESS con BNC.</p>	
<p>TVD-5604H</p>	
<p>Telecamera Dome TruVision IP, 2MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, CABLE HARNESS con BNC. Compatibile con accessori di fissaggio TVD-VFM3, TVD-CB7, TVD-BB4, TVD-SNB, TVD-M-CMA, TVD-M-PMA, TVD-SNB-BB, TVD-CBW, TVD-PPB.</p>	













	Articolo	
TELECAMERE IP	TVD-5605H	
	Telecamera Dome TruVision IP, 4MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, CABLE HARNESS con BNC. Compatibile con accessori di fissaggio TVD-VFM3, TVD-CB7, TVD-BB4, TVD-SNB, TVD-M-CMA, TVD-M-PMA, TVD-SNB-BB, TVD-CBW, TVD-PPB.	
	TVD-5606H	
	Telecamera Dome TruVision IP, 8MPx/4K, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, CABLE HARNESS con BNC. Compatibile con accessori di fissaggio TVD-VFM3, TVD-CB7, TVD-BB4, TVD-SNB, TVD-M-CMA, TVD-M-PMA, TVD-SNB-BB, TVD-CBW, TVD-PPB.	
	TVT-5608H	
	Telecamera Turret TruVision IP, 2MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, colore grigio, CABLE HARNESS. Compatibile con accessori di fissaggio TVD-CB3A + TVD-SNB, TVD-CBW, TVD-PPB.	
	TVT-5609H	
Telecamera Turret TruVision IP, 4MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, colore grigio, CABLE HARNESS. Compatibile con accessori di fissaggio TVD-CB3A + TVD-SNB, TVD-CBW, TVD-PPB.		
TVT-5610H		
Telecamera Turret TruVision IP, 4MPx, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, colore bianco, CABLE HARNESS. Compatibile con accessori di fissaggio TVD-CB3A + TVD-SNB, TVD-CBW, TVD-PPB.		
TVT-5611H		

Articolo	
<p>TELECAMERE IP</p> <p>Telecamera Turret TruVision IP, 8MPx/4K, H.265/H.264, ottica motorizzata con focale da 2.8-12mm, True D/N, WDR, 30m IR, Audio, I/Os, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67, IK10, colore grigio, CABLE HARNESS. Compatibile con accessori di fissaggio TVD-CB3A + TVD-SNB, TVD-CBW, TVD-PPB.</p>	
Serie 7	
	
TVC-5711	
<p>Box Camera TruVision IP Intelligente (analisi video), H.265, 2MP, Super Low Light, WDR, true D/N, Auto Back Focus, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE (802.3-af) /12VDC/24VAC</p>	
TVC-5712	
<p>Box Camera TruVision IP Intelligente (analisi video), H.265, 4MP, Super Low Light, WDR, true D/N, Auto Back Focus, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE (802.3-af) /12VDC/24VAC</p>	
TVC-5713	
<p>Box Camera TruVision IP Intelligente (analisi video), H.265, 8MP/4K, Super Low Light, WDR, true D/N, Auto Back Focus, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE (802.3-af) /12VDC/24VAC</p>	
TVC-5714	
<p>Box Camera TruVision IP Intelligente (analisi video), H.265, 12MP Super Low Light, DWDR, true D/N, Auto Back Focus, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE (802.3-af) /12VDC/24VAC</p>	








	Articolo	
TELECAMERE IP	TVB-5711	
	TruVision IP Bullet Camera, H.265, 2MP, 2.8-12mm motorized lens, Super Low Light, WDR, true D/N, 50m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	 <small>truVision</small>
	TVB-5712	
	TruVision IP Bullet Camera, H.265, 2MP, 8-32mm motorized lens, Super Low Light, WDR, true D/N, 100m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	 <small>truVision</small>
	TVB-5713	
	TruVision IP Bullet Camera, H.265, 4MP, 2.8-12mm motorized lens, Super Low Light, WDR, true D/N, 50m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	 <small>truVision</small>
TVB-5714		
TruVision IP Bullet Camera, H.265, 4MP, 8-32mm motorized lens, Super Low Light, WDR, true D/N, 100m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	 <small>truVision</small>	
TVB-5715		
TruVision IP Bullet Camera, H.265, 8MP/4K, 2.8-12 mm motorized lens, Super Low Light, WDR, true D/N, 50m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	 <small>truVision</small>	
TVB-5716		









Articolo	
TELECAMERE IP	<p>TruVision IP Bullet Camera, H.265, 8MP/4K, 8-32mm motorized lens, Super Low Light, WDR, true D/N, 100m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14</p>  
	<p>TVB-5717</p> <p>TruVision IP Bullet Camera, H.265, 12MP, 2.8-12mm motorized lens, Super Low Light, DWDR, true D/N, 50m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14</p>  
	<p>TVD-5711</p> <p>TruVision IP Indoor Dome Camera, H.265, 2MP, 2.8-12mm motorized lens, Super Low Light, WDR, true D/N, 30m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE (802.3-af) /12VDC, indoor, IK14</p>  
	<p>TVD-5712</p> <p>TruVision IP Indoor Dome Camera, H.265, 4MP, 2.8-12mm motorized lens, Super Low Light, WDR, true D/N, 30m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE (802.3-af) /12VDC, indoor, IK14</p>  
	<p>TVD-5713</p> <p>TruVision IP Indoor Dome Camera, H.265, 8MP/4K, 2.8-12mm motorized lens, Super Low Light, WDR, true D/N, 30m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE (802.3-af) /12VDC, indoor, IK14</p>  
	<p>TVD-5714</p> <p>TruVision IP Indoor Dome Camera, H.265, 12MP, 2.8-12mm motorized lens, Super Low Light, DWDR, true D/N, 30m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE (802.3-af) /12VDC, indoor, IK14</p>  



Data Listino 20 MAGGIO 2021 (1.4.2.9)







Articolo		
TELECAMERE IP	TVD-5715	€
	TruVision IP Outdoor Dome Camera, H.265, 2MP, 2.8-12mm Motorized lens, Super Low Light, WDR, true D/N, 30m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	 truVision
	TVD-5716	
	TruVision IP Outdoor Dome Camera, H.265, 2MP, 8-32mm Motorized lens, Super Low Light, WDR, true D/N, 50m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	 truVision
	TVD-5717	
	TruVision IP Outdoor Dome Camera, H.265, 4MP, 2.8-12mm Motorized lens, Super Low Light, WDR, true D/N, 30m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	 truVision
TVD-5718		
TruVision IP Outdoor Dome Camera, H.265, 4MP, 8-32mm Motorized lens, Super Low Light, WDR, true D/N, 50m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	 truVision	
TVD-5719		
TruVision IP Outdoor Dome Camera, H.265, 8MP/4K, 2.8-12mm Motorized lens, Super Low Light, WDR, true D/N, 30m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	 truVision	
TVD-5720		

Articolo	
TruVision IP Outdoor Dome Camera, H.265, 8MP/4K, 8-32mm Motorized lens, Super Low Light, WDR, true D/N, 50m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	
TVD-5721 TruVision IP Outdoor Dome Camera, H.265, 12MP, 2.8-12mm Motorized lens, Super Low Light, DWDR, true D/N, 30m IR, Audio, Alarm, BNC, micro SD/SHDC slot, Intelligence, PoE+ (802.3-at) /12VDC, Heater, IP67, IK14	
TVD-CB8 TruVision Cup Base for S7 indoor dome camera	
TVD-CB9 TruVision Cup Base for S7 outdoor dome camera	
TVL-006 Fornitura e posa in opera di TruVision 12MP lens, 10 to 50mm VF, F1.2, CS, IR Sensitive. Compresa quota parte di dorsale in cavo in tubo rigido a vista e/o incassato, cassette di derivazione, accessori e quant'altro necessario per rendere l'impianto funzionante ed eseguito a regola d'arte. Tipo Aritech TVL-006.	
TVD-M-PMA-SS Fornitura e posa in opera di TruVision Pole Mount Adaptor for use with TVD-SNB (Stainless Steel). Compresa quota parte di dorsale in cavo in tubo rigido a vista e/o incassato, cassette di derivazione, accessori e quant'altro necessario per rendere l'impianto funzionante ed eseguito a regola d'arte. Tipo Aritech TVD-M-PMA-SS.	

TELECAMERE IP









Data Listino 20 MAGGIO 2021 (1.4.2.9)

	Articolo	prezzo
TELECAMERE IP	WiFi	
		
	TVB-8101	
	<p>TruVision 1080p NTSC/PAL, WIFI, Outdoor Bullet, Gray, True D/N, H.264, PSIA/ONVIF/CGI, 20m IR, 4mm fixed Lens, PoE/12VDC</p>	
	TVQ-8101	
<p>TruVision 1080p, NTSC/PAL, WIFI, Indoor Desktop, White, True D/N, H.264, PSIA/ONVIF/CGI, Audio, 10m IR, 2.0mm @F2.0, PoE/12VDC</p>		
Telecamere PTZ IP compatte		
		
TVP-5101		
<p>Dome PTZ IP TruVision compatta per interni, 2 MPX, installazione a pendente o a parete, True D/N, DWDR, IR Cut, 20m IR, H.265, H.264, ONVIF/PSIA, Zoom ottico 4X, SDHC Card slot, PoE/12Vcc. Compatibile con accessori di fissaggio TVP-CWM</p>	 	
TVP-5102		














Data Listino 20 MAGGIO 2021 (1.4.2.9)

Articolo	
TELECAMERE IP	<p>Dome PTZ IP TruVision compatta per esterni, 2 MPX, installazione a pendente o a parete, True D/N, DWDR, IR Cut, 150m IR, H.265, H.264, ONVIF/PSIA, Zoom ottico 20X, SDHC Card slot, Hi-PoE/24Vca. Compatibile con accessori di fissaggio TVP-WMB, , TVP-SAM, UVP-C30, UVP-C60, UVP-C180</p> 
	<p>TVP-5103</p> <p>Dome PTZ IP TruVision compatta per interni ed esterni, 3 MPX, varie possibilità di installazione (soffitto/parete/incasso), True D/N, WDR, IR Cut, 50m IR, H.265, H.264, ONVIF/PSIA, Zoom ottico 20X, SDHC Card slot, PoE+/12Vcc. Compatibile con accessori di fissaggio TVB-CBB, TVP-CFM, TVP-CCBWM,</p> 
	<p>Telecamere PTZ IP Super Low Light</p> 
	<p>TVP-5104</p> <p>Dome PTZ IP TruVision Super Low Light per esterni, 2 MPX, installazione soffitto/parete, True D/N, WDR, IR Cut, H.265, ONVIF/PSIA, Zoom ottico 25X, SDHC Card slot, Hi-PoE/24Vca. Compatibile con accessori di fissaggio TVP-WMB, , TVP-SAM, UVP-C30, UVP-C60, UVP-C180</p> 
	<p>TVP-5105</p> <p>Dome PTZ IP TruVision Super Low Light per esterni, 2 MPX, installazione soffitto/parete, True D/N, WDR, IR Cut, IR 200m, H.265, ONVIF/PSIA, Zoom ottico 36X, SDHC Card slot, Hi-PoE/24Vca. Compatibile con accessori di fissaggio TVP-WMB, , TVP-SAM, UVP-C30, UVP-C60, UVP-C180</p> 
<p>Telecamere panoramiche 360° e accessori</p> 	








Data Listino 20 MAGGIO 2021 (1.4.2.9)

	Articolo	
TELECAMERE IP	TVS-5101	
	Telecamera IP TruVision Multi-imager 360 gradi, risoluzione 20MP/4x5MP, ottica motorizzata con focale da 2.8-12 mm, True D/N, 30m IR, Audio, Alarm I/O, IP67, IK10, Heater, Hi-PoE/12VDC	 truVision
	TVMI-WM	
	Staffa per installazione a parete per telecamera TruVision Multi-Imager	 truVision
	TVMI-PM	
	Accessorio per installazione a pendente per telecamera TruVision Multi-Imager, 57mm / 2.24"	 truVision
	TVMI-PM2	
Accessorio per installazione a pendente per telecamera TruVision Multi-Imager, 200mm / 7.87"	 truVision	
TVMI-PM3		
Accessorio per installazione a pendente per telecamera TruVision Multi-Imager, 500mm / 19.685"	 truVision	
TVMI-PMA		

Articolo	
Tubo di estensione per installazione a pendente per telecamera TruVision Multi-Imager, 500mm / 19.685"	
TVF-5201 Telecamera Dome da interno TruVision™ 360 gradi IP, 6.0 MPX, PAL, WDR, 1.29mm fisheye lens, True D/N, 15m IR, 2 way audio (2 built-in mic & speaker), Alarm (alarm input and alarm output), SD/SDHC slot, PoE + (802.3-at) /12vdc	
TVF-5202 Telecamera Dome da interno TruVision™ 360 gradi IP, 12 MPX, PAL, 1.29mm fisheye lens, True D/N, 15m IR, 2 way audio (2 built-in mic & speaker), Alarm(alarm input and alarm output), SD/SDHC slot, PoE + (802.3-at) /12vdc, gray	
TVF-5203 Telecamera Dome da esterno TruVision™ 360 gradi IP, 6.0 MPX, PAL, WDR, 1.29mm fisheye lens, True D/N, 15m IR, 2 way audio (2 built-in mic & speaker), Alarm (alarm input and alarm output), SD/SDHC slot, IP67, IK10, PoE + (802.3-at) /12vdc, gray	
TVF-5204 Telecamera Dome da esterno TruVision™ 360 gradi IP, 12 MPX, PAL, WDR, 1.29mm fisheye lens, True D/N, 15m IR, 2 way audio (2 built-in mic & speaker), Alarm (alarm input and alarm output), SD/SDHC slot, IP67, IK10, PoE + (802.3-at) /12vdc, gray	
TVF-BBM Scatola di derivazione metallica (Back Box) per installazione di Dome TruVision 360°, per interno/esterno	

TELECAMERE IP

TELECAMERE IP	Articolo	
	TVF-WBM	
	Scatola di derivazione metallica per installazione inclinata di Dome TruVision 360°, per interno/esterno	
	TVF-CBM	
	Base per Dome TruVision 360°, da usare con TVD-PPB per installazioni a pendente o con TVD-SNB per installazioni a parete	
	Telecamera nascosta con analisi video	
TVA-1101		
Telecamera nascosta Intelligente (analisi video) TruVision IP, 1.3MPx, PAL, ottica separata, WDR, true D/N, slot SD/SHDC, POE (803.af) /12VDC. Compatibile con le ottiche miniaturizzate della serie TVL-xxxx da ordinare separatamente.		
TVL-0101		
Ottica pinhole per TVA-1101, 1.3 MPx, 3.7mm@F2.3, fornita con cavo lunghezza 2m.		
TVL-0102		









Data Listino 20 MAGGIO 2021 (1.4.2.9)









TELECAMERE IP







Articolo	
Ottica L-shape per TVA-1101, 1.3 MPx, 3.7mm@F2.3, fornita con cavo lunghezza 2m.	
TVL-0103	
Ottica cilindrica per TVA-1101, 1.3 MPx, 4mm@F2.3, fornita con cavo lunghezza 2m.	
TVL-0104	
Ottica pinhole per TVA-1101, 1.3 MPx, 3.7mm@F2.3, fornita con cavo lunghezza 8m.	
TVL-0105	
Ottica L-shape per TVA-1101, 1.3 MPx, 3.7mm@F2.3, fornita con cavo lunghezza 8m.	
TVL-0106	
Ottica cilindrica per TVA-1101, 1.3 MPx, 4mm@F2.3, fornita con cavo lunghezza 8m.	
TVL-0107	
Ottica L-shape per TVA-1101, 1.3 MPx, 2mm, fornita con cavo lunghezza 2m.	

















Data Listino 20 MAGGIO 2021 (1.4.2.9)

TELECAMERE IP	
Articolo	
TVL-0108	
Ottica cilindrica per TVA-1101, 1.3 MPx, 2mm, fornita con cavo lunghezza 2m.	
TVL-0109	
Ottica L-shape per TVA-1101, 1.3 MPx, 2mm, fornita con cavo lunghezza 8m.	
TVL-0110	
Ottica cilindrica per TVA-1101, 1.3 MPx, 2mm, fornita con cavo lunghezza 8m.	
PEOPLE COUNTING	
People Counting	
	
TVS-PC1	
Telecamera conta persone TruVision IP, doppia ottica, da esterno, 2 MP, ottica con focale da 2 mm, IP67	 
TVS-PC2	







Articolo		
PEOPLE COUNTING	Telecamera conta persone TruVision IP, doppia ottica, da interno, 2 MP, ottica con focale da 2 mm	 
	TVC-C200	
	Staffa a pendente telescopica regolabile 120cm-200cm	 
CAMICHE	TVB-5701	
	Telecamera termica TruVision tipo Bullet, risoluzione 384x288, ottica 15 mm, 3D DNR, H.265/H.264, ONVIF/PSIA, SDHC card slot, PoE+/12VDC/24VAC (supportata da TVN22 e TVN71).	
	TVB-5702	
	Telecamera termica TruVision tipo Bullet, risoluzione 384x288, ottica 35 mm, 3D DNR, H.265/H.264, ONVIF/PSIA, SDHC card slot, PoE+/12VDC/24VAC (supportata da TVN22 e TVN71).	
	TVB-5706	
Telecamera termica TruVision tipo Bullet, risoluzione 640x512, ottica 15 mm, 3D DNR, H.265/H.264, ONVIF/PSIA, SDHC card slot, PoE+/12VDC/24VAC (supportata da TVN22 e TVN71).		
TVB-5707		
Telecamera termica TruVision tipo Bullet, risoluzione 640x512, ottica 25 mm, 3D DNR, H.265/H.264, ONVIF/PSIA, SDHC card slot, PoE+/12VDC/24VAC (supportata da TVN22 e TVN71).		

Articolo		
TELECAMERE HD-TVI	720p	
		
	TVC-2401	
	Box camera HD-TVI, PAL, 1080p, obiettivo C/CS, true D/N, WDR, doppia uscita video 960H o HD-TVI, Coax OSD control, 12VDC/24VAC.	
	TVB-2401	
	Telecamera mini Bullet analogica HD-TVI , PAL, 720p, 3.6 mm ottica fissa, true D/N, DWDR, 20m IR, HD-TVI output, Coax OSD control, 12VDC, IP66. Compatibile con i seguenti accessori di fissaggio: TVB-BB1, TVB-2G-AD.	
	TVD-2401	
	Telecamera mini Dome analogica HD-TVI, PAL, 720p, 2.8 mm ottica fissa, true D/N, DWDR, 20m IR, HD-TVI output, Coax OSD control, 12VDC, IP66, contenitore plastico. Compatibile con i seguenti accessori di fissaggio: TVD-CB3 + DR-RWM-AD e TVD-SNB, TVD-CBW, TVD-PPB o con TVD-M2-WM + DR-RWM o TVD-LWB-1, TVD-LWB-2 con TVD-LWB-S	
	TVB-6101	
	Telecamera TruVision Bullet analogica HD-TVI, 720P, ottica motorizzata con focale 2.7-13.5mm, True D/N, WDR, 80m IR, HD-TVI Output, Coax OSD Control, 12VDC/24AC, IP67	 
	TVD-6101	

Articolo	
Telecamera TruVision Dome analogica HD-TVI, 720P, ottica motorizzata con focale 2.7-13.5mm, True D/N, WDR, 60m IR HD-TVI Output, Coax OSD Control, 12VDC/24AC, IP67	
2 megapixel	
	
TVB-6102	
Telecamera TruVision Bullet analogica HD-TVI, 2MPX, 3.6mm ottica fissa, True D/N, WDR, 30m IR HD-TVI Output, Coax OSD Control, 12VDC, IP67	
TVB-6103	
Telecamera TruVision Bullet analogica HD-TVI, 2MPX, ottica motorizzata con focale 2.7-13.5mm, True D/N, WDR, 80m IR HD-TVI Output, Coax OSD Control, 12VDC/24AC, IP67	
TVD-6102	
Telecamera TruVision Dome analogica HD-TVI, 2MPX, 2.8mm ottica fissa, True D/N, WDR, 30m IR HD-TVI Output, Coax OSD Control, 12VDC, IP67	
TVD-6103	
Telecamera TruVision Dome analogica HD-TVI, 2MPX, ottica motorizzata con focale 2.7-13.5mm, True D/N, WDR, 60m IR HD-TVI Output, Coax OSD Control, 12VDC/24AC, IP67	






TELECAMERE HD-TVI	Articolo	
	TVW-6101	
	Telecamera Wedge TruVision analogica HD-TVI, PAL, 1080p, 2.8 mm ottica fissa, true D/N, WDR 120dB, 10 m IR, uscita video HD-TVI o PAL 960H selezionabile, Coax OSD control, 12VDC, IP66, IK8. Compatibile con i seguenti accessori di fissaggio: TVW-AWB-1 TVW-DVM TVD-CB2	
	5 megapixel	
		
	TVB-6104	
Telecamera TruVision Bullet analogica HD-TVI, 5MPX, 3.6mm ottica fissa, True D/N, WDR, 30m IR HD-TVI Output, Coax OSD Control, 12VDC, IP67	 	
TVB-6105		
Telecamera TruVision Bullet analogica HD-TVI, 5MPX, ottica motorizzata con focale 2.7-13.5mm, True D/N, WDR, 80m IR HD-TVI Output, Coax OSD Control, 12VDC/24AC, IP67	 	
TVT-6101		
Telecamera TruVision Turret analogica HD-TVI, 5MPX, 2.8mm ottica fissa, True D/N, WDR, 30m IR HD-TVI Output, Coax OSD Control, , IP67	 	
TVT-6102		

TELECAMERE HD-TVI

Articolo	
<p>Telecamera TruVision Turret analogica HD-TVI, 5MPX, ottica motorizzata con focale 2.7-13.5mm, True D/N, WDR, HD-TVI Output, Coax OSD Control, 12VDC/24AC, IP67</p>	
<p>TVD-6104 Telecamera TruVision Dome analogica HD-TVI, 5MPX, ottica motorizzata con focale 2.7-13.5mm, True D/N, WDR, 60m IR HD-TVI Output, Coax OSD Control, 12VDC/24AC, IP67</p>	
<p>8 megapixel (4K)</p>	
<p>TVB-6106 Telecamera TruVision Bullet analogica HD-TVI, 8MPX, ottica motorizzata con focale 2.7-13.5mm, True D/N, WDR, 80m IR HD-TVI Output, Coax OSD Control, 12VDC/24AC, IP67</p>	
<p>TVD-6105 Telecamera TruVision Dome analogica HD-TVI, 8MPX, ottica motorizzata con focale 2.7-13.5mm, True D/N, WDR, 60m IR HD-TVI Output, Coax OSD Control, 12VDC/24AC, IP67</p>	
<p>Illuminatore luce bianca</p>	














Data Listino 20 MAGGIO 2021 (1.4.2.9)

	Articolo	
TELECAMERE HD-TVI	TVB-6107	
	Telecamera TruVision Bullet analogica HD-TVI, 2MPX, 3.6mm ottica fissa, True D/N, WDR, 40m White LED HD-TVI Output, Coax OSD Control, 12VDC, IP67	 <small>truVision</small>
	TVT-6103	
	Telecamera TruVision Turret analogica HD-TVI, 2MPX, 3.6mm ottica fissa, True D/N, WDR, 20m White LED HD-TVI Output, Coax OSD Control, 12VDC, IP67	 <small>truVision</small>
	Telecamere PTZ	
		
	TVP-6101	
Dome PTZ TruVision™, HD-TVI, 1080P, 32X, WDR, installazione a pendente, (staffa a parete non inclusa). Uscita video duale CVBS & TVI, controllo telemetria TVI/RS485/RS422, 24VAC, IP66, IK10, PAL. Compatibile con accessori di fissaggio TVP-WMB, , TVP-SAM, UVP-C30, UVP-C60, UVP-C180.	 <small>truVision</small>	
	TVP-6102	
Dome PTZ TruVision™, HD-TVI, 1080P, 32X, WDR, installazione a soffitto o ad incasso. Uscita video duale TVI e 960H, controllo telemetria TVI/RS485/RS422, 24VAC, IP54.	 <small>truVision</small>	
	TVP-6103	








Data Listino 20 MAGGIO 2021 (1.4.2.9)













	Articolo	
TELECAMERE HD-TVI	<p>Dome PTZ TruVision™, HD-TVI, 1080P, 32X, 150m IR, WDR, installazione a pendente, (staffa a parete non inclusa). Uscita video duale CVBS & TVI, controllo telemetria TVI/RS485/RS422, 24VAC, IP66, PAL. Compatibile con accessori di fissaggio TVP-WMB, , TVP-SAM, UVP-C30, UVP-C60, UVP-C180.</p>	 <small>truVision</small>
	ACCESSORI DI MONTAGGIO	Accessori di montaggio per dome PTZ
		
TVP-CBB		
<p>Back Box per la telecamera PTZ compatta modello TVP-5103</p>		 <small>truVision</small>
TVP-CB1		
<p>Base di montaggio TVP-CB1 adatta per la telecamera PTZ compatta TVP-5103. Compatibile con le gli accessori di montaggio TVD-SNB, TVD-PPB e TVD-CBW.</p>		
TVP-CCBWM		
<p>Staffa a muro per telecamera PTZ Compatta mod. TVP-5103.</p>	 <small>truVision</small>	
TVP-CFM		

Articolo	
<p>Staffa per installazione ad incasso della telecamera PTZ compatta TVP-5103.</p>	 <p style="text-align: right; font-size: small;">truVision</p>
<p>TVP-CWM</p> <p>Staffa a muro per interni per telecamera PTZ compatta mod. TVP-5101.</p>	 <p style="text-align: right; font-size: small;">truVision</p>
<p>TVP-WMB</p> <p>Staffa per il fissaggio a parete delle dome TruVision PTZ, sostituisce il modello precedente GEA-102.</p>	
<p>TVP-WM-PM</p> <p>Staffa per fissaggio a palo per dome PTZ della linea TruVision analogiche ed IP, da utilizzare con la staffa TVP-WMB.</p>	
<p>TVP-WM-CM</p> <p>Staffa per fissaggio ad angolo per dome TruVision analogiche ed IP, da utilizzare con la staffa TVP-WMB.</p>	
<p>UVP-C30</p> <p>Staffa pendente per montaggio a soffitto delle dome UltraView PTZ, lunghezza 30cm, diametro palo 32mm.</p>	



Data Listino 20 MAGGIO 2021 (1.4.2.9)






Articolo	
ACCESSORI DI MONTAGGIO	UVP-C60
	Staffa pendente per montaggio a soffitto delle dome UltraView PTZ, lunghezza 60cm, diametro palo 32 mm.
	
	UVP-C180
	Staffa pendente per montaggio a soffitto delle dome UltraView PTZ, lunghezza da 100cm a 180cm, diametro palo 32 mm.
	
UVP-SN100	
Staffa a collo doca per dome UltraView PTZ, diametro palo 32 mm.	
	
Accessori di montaggio per telecamere serie 6	
	
Accessori di montaggio per telecamere serie 7	
	
TVD-CB8	







Articolo	
TruVision Cup Base for S7 indoor dome camera	 
TVD-VFM2 Adattatore per l'installazione ad incasso delle Dome TruVision con ottica motorizzata varifocale della serie 6.	 
TVD-VFM3 Adattatore per l'installazione ad incasso delle Dome TruVision con ottica motorizzata varifocale della serie 6H (con cavi).	 
TVD-CB9 TruVision Cup Base for S7 outdoor dome camera	 
TVB-CM Staffa per l'installazione ad angolo delle telecamere bullet varifocali serie 7	 
TVD-M-PMA-SS Fornitura e posa in opera di TruVision Pole Mount Adaptor for use with TVD-SNB (Stainless Steel). Compresa quota parte di dorsale in cavo in tubo rigido a vista e/o incassato, cassette di derivazione, accessori e quant'altro necessario per rendere l'impianto funzionante ed eseguito a regola d'arte. Tipo Aritech TVD-M-PMA-SS.	 



Data Listino 20 MAGGIO 2021 (1.4.2.9)

ACCESSORI DI MONTAGGIO








Articolo	
TVB-PM	
Staffa in acciaio inox per l'installazione a palo delle telecamere bullet varifocali serie 6	
TVW-BB1	
Back Box per telecamere wedge serie 6	
Accessori di montaggio per dome, minidome e bullet	
TVD-M2-FM	
Supporto per il montaggio ad incasso delle telecamere Dome da interno della linea TruVision™ IP	
TVD-M2-PNDT	
Supporto per il montaggio a pendente (56cm) delle telecamere Dome da interno della linea TruVision™ IP	
TVD-M2-WM	







Articolo	
<p>Supporto per il montaggio a parete delle telecamere Dome della linea TruVision™ IP</p>	
<p>TVD-SNB</p>	
<p>Staffa a collo doca, per dome fisse con montaggio a parete da interno/esterno</p>	
<p>TVD-M-PMA</p>	
<p>Adattatore per il fissaggio a palo della staffa a collo doca modello TVD-SNB</p>	
<p>TVD-PPB</p>	
<p>Staffa a soffitto per dome fisse</p>	
<p>TVD-CBW</p>	
<p>Staffa di fissaggio per Dome della linea TruVision con montaggio a parete da interno/esterno (usare con TVD-CB2, TVD-CB3, TVD-CB5A, TVD-CB6, TVD-CB7)</p>	 <p style="text-align: right; font-size: small;">truVision</p>
<p>TVD-CB6</p>	
<p>Base per Dome/Turret TruVision da 5"/135mm (usare con TVD-SNB, TVD-PPB, TVD-CBW)</p>	 <p style="text-align: right; font-size: small;">truVision</p>



Data Listino 20 MAGGIO 2021 (1.4.2.9)

ACCESSORI DI MONTAGGIO






Articolo	
TVD-CB7	
Base per Dome TruVision da 6"/155mm (usare con TVD-SNB, TVD-PPB, TVD-CBW)	 
TVD-CB5A	
Base per dome TVD IP da esterno	
TVD-CB3	
Base per dome analogiche TVD e UVD, TVD IP da interno e UVD IP	
TVD-CB3A	
Base per Turret serie 6H	 
TVD-CB2	
Base per dome "Wedge"	
TVD-LWB-1	







Articolo	
Staffa ad L per montaggio Dome TruVision da utilizzare con Wedge analogiche/IP, HD-TVI e la serie in policarbonato TVD-11/31	
TVD-LWB-2	
Staffa ad L per montaggio Dome TruVision da utilizzare con dome varifocal analogiche TVD-6/7 e TVD-22/42, serie dome varifocal HD-TVI TVD-24/44 e le serie di dome varifocal IP TVD-11/31 e TVD-12/32.	
TVD-BB1	
Back Box per l'installazione di dome TruVision in policarbonato serie TVD-11/31.	
TVD-BB3	
Back Box per l'installazione di dome TruVision da utilizzare con dome varifocal analogiche TVD-6/7, dome varifocal IP da interno e le serie di dome varifocal IP TVD-11/31 e TVD-12/32.	
TVD-BB3A	
Back Box per l'installazione inclinata di dome TruVision da utilizzare con dome varifocal analogiche TVD-6/7, dome varifocal IP da interno e le serie di dome varifocal IP TVD-11/31 e TVD-12/32.	
TVD-BB4	
Back Box per l'installazione di dome TruVision serie 6H	



Data Listino 20 MAGGIO 2021 (1.4.2.9)

ACCESSORI DI MONTAGGIO

Articolo	
DR-RWM-AD	
Adattatore per dome TruVision da utilizzare con gli accessori di montaggio a parete DR-RWM e TVD-M2-WM.	
TVD-SNB-BB	
Back Box con ingresso tubazione nelle quattro direzioni, per staffa TruVision TVD-SNB o TVD-M2-WM, da interno ed esterno.	
TVD-M-CMA	
Adattatore per installazione ad angolo della staffa TruVision TVD-SNB o TVD-M2-WM, da interno ed esterno.	
TVD-LWB-S	
Tettuccio superiore per il modello TruVision TVD-LWB-1/2 per la protezione dalla pioggia.	
TVD-LWB-AD	
Adattatore per le staffe TruVision TVD-LWB-1/2 per l'utilizzo in abbinamento al back box TVD-SNB-BB.	
TVD-VFM	

Articolo	
<p>Adattatore per l'installazione ad incasso delle Dome HD-TVI con ottica varifocale TruVision.</p>	
<p>TVB-2G-AD Piastra di fissaggio che consente di montare su una scatola di derivazione (non fornita) telecamere mini bullet sia IP che HD-TVI e staffe TVD-LWB.</p>	
<p>TVB-BB1 Back box per le mini Bullet con ottica fissa, ideale per modelli IP e HD-TVI.</p>	
<p>Accessori di montaggio per Wedge</p>	
<p>TVW-DVM Backbox per l'installazione di due telecamere wedge (da usare con TVD-PPB)</p>	
<p>TVW-AWB-1 Backbox inclinato per Wedge Dome da esterno</p>	










Data Listino 20 MAGGIO 2021 (1.4.2.9)

Articolo	
ACCESSORI DI MONTAGGIO	TVW-AWB-2 Backbox inclinato per Wedge Dome da interno
	
ACCESSORI DI MONTAGGIO	TVW-2G-AD Adattatore di fissaggio a parete per Wedge Dome
	
TRUVISION ENCODER E DECODER	TVE-RMB Adattatore da rack per Encoder TruVision modelli TVE-110/410/810
	TVE-120 TruVision IP Encoder, 1 CH, H.265/H.264, Compact, 5MP (Max) HD-TVI, 960H, Audio, Alarm, RS-485, PoE (803.AF), 12VDC
	 <small>truVision</small>
	TVE-420 TruVision IP Encoder, 4 CH, H.265/H.264, Compact, 5MP (Max) HD-TVI, 960H, Audio, Alarm, RS-485, PoE (803.AF), 12VDC
 <small>truVision</small>	
TVE-820	








Data Listino 20 MAGGIO 2021 (1.4.2.9)

Articolo	
TruVision IP Encoder, 8 CH, H.265/H.264, Desktop or Rack Mount, 5MP (Max) HD-TVI, 960H, Audio, Alarm, RS-485, 12VDC	 
TVE-1620 TruVision IP Encoder, 16 CH, H.265/H.264, Desktop or Rack Mount, 5MP (Max) HD-TVI, 960H, Audio, Alarm, RS-485, 12VDC	 
TVE-DEC12 Decoder TruVision per 16 flussi video Full HD, 3 usctie (HDMI, VGA, BNC), 12 VDC	 
YV2.8X2.8LA-SA2L TruVision box camera SD 1/3", 2.8 - 8mm Vari-Focal lens, DC auto iris, Day, F0.95 - F360	
YV2.7X2.9LR4D-SA2L TruVision box camera SD 1/3", 2.9 - 8mm Vari-Focal lens, DC auto iris, Day/Night, F0.95 - F360	
YV5X2.7R4B-SA2L TruVision box camera SD 1/3", 2.7 - 13.5mm Vari-Focal lens, DC auto iris, Day/Night, F1.3 - F360	

TRUVISION ENCODER E DECODER



Data Listino 20 MAGGIO 2021 (1.4.2.9)

	Articolo	
OBIETTIVI	YV2.8X2.8SA-SA2L	
	TruVision box camera 3 Megapixel 1/3", 2.8 - 8mm Vari-Focal lens, DC auto iris, Day, F1.2 - F360	
	YV2.8x2.8SR4A-SA2L	
	TruVision box camera 3 Megapixel 1/3", 2.8 - 8mm Vari-Focal lens, DC auto iris, Day/Night, F1.3 - F360	
	YV10X5HR4A-SA2L	
	TruVision box camera 1.3 Megapixel 1/3", 5 - 50mm Vari-Focal lens, DC auto iris, Day/Night, F1.6 - F360	
DV3.4X3.8SA-SA1L		
TruVision box camera 3 and 5 Megapixel 1/2", 3.8 - 13mm, Vari-Focal lens, DC auto iris, Day/Night, F1.4 - F360		
DV3.8X4SR4A-SA1L		
TruVision box camera 3 and 5 Megapixel 1/2", 4 - 15.2mm Vari-Focal lens, DC auto iris, Day/Night, F1.5 - F360		
DV10X8SR4A-SA1L		








OBIETTIVI

Articolo	
TruVision box camera 3 and 5 Megapixel 1/2", 8 - 80mm Vari-Focal lens, DC auto iris, Day/Night, F1.6 - F360	
TVL-002 TruVision 3 MPX lens, 5 to 50mm VF, F1.7, CS mount, 1/2.7", CS, Auto-iris, IR Sensitive, for up to 3 MPX box cameras, not for TruVision Super Low Light box cameras	
TVL-003 TruVision 8 MPX lens, 3.8 to 16mm VF, F1.5, CS, IR Sensitive, for 4 to 8 MPX and Super Low Light box cameras	
TVL-004 TruVision 8 MPX lens, 11 to 40mm VF, F1.5, CS, IR Sensitive, for up to 8 MPX and Super Low Light Box cameras	
TVL-005 TruVision 1.3 - 3MPX Lens, 2.7 - 12mm VF, F1.2, CS Mount, 1/2.7 inch, CS, Auto Iris, IR Sensitive, for 1.3 - 3MPX Box Cameras (sostituisce TVL-001)	
TVL-006 TruVision 12MP lens, 10 to 50mm VF, F1.2, CS, IR Sensitive	 









Data Listino 20 MAGGIO 2021 (1.4.2.9)

Articolo		
CUSTODIE PER ESTERNO E ACCESSORI	TVC-OH2-H	
	TruVision Outdoor Box Housings with wall bracket included	
CUSTODIE PER ESTERNO E ACCESSORI	TVC-OH3-HT	
	TruVision box camera outdoor housing with infrared illuminators and heater, IK10 and IP67 rated	
MONITOR	Monitor TruVision	
		
	TVM-2002	
	TRUVISION 20" LED, VGA, HDMI, BNC, Audio Speaker, Stereo Audio In, FULL HD, 1920 x 1080	
MONITOR	TVM-2202	
	TRUVISION 22" LED, VGA, HDMI, BNC, Audio Speaker, Stereo Audio In, FULL HD, 1920X1080	
MONITOR	TVM-2212	








Data Listino 20 MAGGIO 2021 (1.4.2.9)

MONITOR

Articolo	
TRUVISION 22" LED, VGA, HDMI, Audio Speaker, Stereo Audio In, FULL HD, 1920X1080	 <small>truVision</small>
TVM-3202 TRUVISION 32" LED, VGA, HDMI, BNC, Audio Speaker, Stereo Audio In, FULL HD, 1920X1080	 <small>truVision</small>
TVM-4002 TRUVISION 40" LED, VGA, HDMI, BNC, Audio Speaker, Stereo Audio In, FULL HD, 1920X1080	 <small>truVision</small>
Accessori di fissaggio	
FPMA-C100 Staffa da soffitto per monitor LCD/TFT fino a 26" VESA .	
FPMA-C400SILVER Staffa da soffitto per schermi LCD/TFT fino a 52" VESA.	






Data Listino 20 MAGGIO 2021 (1.4.2.9)

	Articolo	
MONITOR	FPMA-D960	
	Supporto da scrivania per schermi LCD/TFT fino a 26" VESA.	
	FPMA-D960D	
	Supporto da scrivania per due schermi LCD/TFT fino a 26" VESA.	
	FPMA-W25	
	Staffa di fissaggio a parete per Monitor TruVision fino a 30".	
	FPMA-W75	
Staffa girevole a muro VESA per monitor LCD/TFT fino a 24".		
FPMA-W830		
Staffa di fissaggio a parete per Monitor TruVision fino a 24", orientabile in 3 direzioni, VESA.		
LED-W140		








Data Listino 20 MAGGIO 2021 (1.4.2.9)

		Articolo	
MONITOR		Staffa di fissaggio a parete per Monitor da 23" a 47", fissa ultrasottile.	
		LED-W240 Staffa di fissaggio a parete per Monitor da 23" a 47", inclinabile.	
		LED-W560 Staffa di fissaggio a parete per Monitor da 32" a 60", inclinabile e dotata di tre snodi.	
CORI DIGITALI		TruVision Navigator TruVision Navigator, Software di gestione DVR/NVR potente e flessibile e non richiede licenza, visita il sito web : https://it.firesecurityproducts.com , nella sezione prodotti, video, software.	
		TVR16	
		TVR-1604c-1T TruVision DVR 16, Hybrid, 4 channel, 1 TB	 



Data Listino 20 MAGGIO 2021 (1.4.2.9)












VIDEOREGISTRATORI DIGITALI

Articolo	
TVR-1604c-2T	
TruVision DVR 16, Hybrid, 4 channel, 2 TB	 truVision
TVR-1608-2T	
TruVision DVR 16, Hybrid, 8 channel, 2 TB	 truVision
TVR-1608-4T	
TruVision DVR 16, Hybrid, 8 channel, 4 TB	 truVision
TVR-1616-2T	
TruVision DVR 16, Hybrid, 16 channel, 2 TB	 truVision
TVR-1616-4T	
TruVision DVR 16, Hybrid, 16 channel, 4 TB	 truVision
TVR-1616-6T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)






VIDEOREGISTRATORI DIGITALI

Articolo	
TruVision DVR 16, Hybrid, 16 channel, 6 TB	 <p>TVR 16</p> 
TVR46	
TVR-4616-2T	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 16 canali, 100% IP, 2TB (1x2TB).	 
TVR-4616-4T	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 16 canali, 100% IP, 4TB (2x2TB).	 
TVR-4616-6T	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 16 canali, 100% IP, 6TB (3x2TB).	 
TVR-4616-8T	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 16 canali, 100% IP, 8TB (4x2TB).	 



Data Listino 20 MAGGIO 2021 (1.4.2.9)







VIDEOREGISTRATORI DIGITALI

Articolo	prezzo
TVR-4616-12T TruVision™ TVR46 Registratore HD-TVI Ibrido a 16 canali, 100% IP, 12TB (3x4TB).	
	
TVR-4616-16T TruVision™ TVR46 Registratore HD-TVI Ibrido a 16 canali, 100% IP, 16TB (4x4TB).	
	
TVR-4616-18T TruVision™ TVR46 Registratore HD-TVI Ibrido a 16 canali, 100% IP, 18TB (3x6TB).	
	
TVR-4616-24T TruVision™ TVR46 Registratore HD-TVI Ibrido a 16 canali, 100% IP, 24TB (4x6TB).	
	
TVR-4616-32T TruVision™ TVR46 Registratore HD-TVI Ibrido a 16 canali, 100% IP, 32TB (4x8TB).	
	
TVR-4632-2T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)


VIDEOREGISTRATORI DIGITALI

Articolo	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 32 canali, 100% IP, 2TB (1x2TB).	
TVR-4632-4T	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 32 canali, 100% IP, 4TB (2x2TB).	
TVR-4632-6T	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 32 canali, 100% IP, 6TB (3x2TB).	
TVR-4632-8T	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 32 canali, 100% IP, 8TB (4x2TB).	
TVR-4632-12T	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 32 canali, 100% IP, 12TB (3x4TB).	
TVR-4632-16T	5.684,03 €
TruVision™ TVR46 Registratore HD-TVI Ibrido a 32 canali, 100% IP, 16TB (4x4TB).	



Data Listino 20 MAGGIO 2021 (1.4.2.9)

VIDEOREGISTRATORI DIGITALI

Articolo	
TVR-4632-18T	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 32 canali, 100% IP, 18TB (3x6TB).	
TVR-4632-24T	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 32 canali, 100% IP, 24TB (4x6TB).	
TVR-4632-32T	
TruVision™ TVR46 Registratore HD-TVI Ibrido a 32 canali, 100% IP, 32TB (4x8TB).	
TVN11	
	
TVN-1104c-1T	
TruVision NVR 11, H.265, 4 channel IP, 1 TB	 
TVN-1104c-2T	727,50 €



Data Listino 20 MAGGIO 2021 (1.4.2.9)











VIDEOREGISTRATORI DIGITALI









Articolo	
TruVision NVR 11, H.265, 4 channel IP, 2 TB	 
TVN-1104cS-1T TruVision NVR 11, H.265, 4 channel IP, 4 channel PoE, 1 TB	 
TVN-1104cS-2T TruVision NVR 11, H.265, 4 channel IP, 4 channel PoE, 2 TB	 
TVN-1108-2T TruVision NVR 11, H.265, 8 channel IP, 2 TB	 
TVN-1108-4T TruVision NVR 11, H.265, 8 channel IP, 4 TB	 
TVN-1108S-2T TruVision NVR 11, H.265, 8 channel IP, 8 channel PoE, 2 TB	 



Data Listino 20 MAGGIO 2021 (1.4.2.9)

VIDEOREGISTRATORI DIGITALI






Articolo	
TVN-1108S-4T	
TruVision NVR 11, H.265, 8 channel IP, 8 channel PoE, 4 TB	 
TVN-1116-2T	
TruVision NVR 11, H.265, 16 channel IP, 2 TB	 
TVN-1116-4T	
TruVision NVR 11, H.265, 16 channel IP, 4 TB	 
TVN-1116-6T	
TruVision NVR 11, H.265, 16 channel IP, 6 TB	 
TVN-1116S-2T	
TruVision NVR 11, H.265, 16 channel IP, 16 channel PoE, 2 TB	 
TVN-1116S-4T	

Articolo	
<p>TruVision NVR 11, H.265, 16 channel IP, 16 channel PoE, 4 TB</p>	 
<p>TVN-1116S-6T</p> <p>TruVision NVR 11, H.265, 16 channel IP, 16 channel PoE, 6 TB</p>	 
<p>KIT TVN11</p>	
<p>TVN-1104-KB2</p> <p>KIT TVN11 composto da un registratore TVN-1104cS-1T e quattro telecamere Bullet TVB-5601.</p>	
<p>TVN-1104-KT1</p> <p>KIT TVN11 composto da un registratore TVN-1104cS-1T e quattro telecamere Turret TVT-5601.</p>	
<p>TVN-1104-KW2</p> <p>KIT TVN11 composto da un registratore TVN-1104cS-1T e quattro telecamere Wedge TVW-5602.</p>	



Data Listino 20 MAGGIO 2021 (1.4.2.9)







VIDEOREGISTRATORI DIGITALI

Articolo	
TVN-1108-KB2	
KIT TVN11 composto da un registratore TVN-1108S-2T e quattro telecamere Bullet TVB-5601.	
TVN-1108-KT1	
KIT TVN11 composto da un registratore TVN-1108S-2T e quattro telecamere Turret TVT-5601.	
TVN-1108-KW2	
KIT TVN11 composto da un registratore TVN-1108S-2T e quattro telecamere Wedge TVW-5602.	
TVN22	
	
TVN-2208-2T	
TruVision NVR 22, H.265, 8 channel IP, 2TB (1x 2TB)	 
TVN-2208-4T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)






VIDEOREGISTRATORI DIGITALI

Articolo	
TruVision NVR 22, H.265, 8 channel IP, 4TB (2x 2TB)	
TVN-2208-8T TruVision NVR 22, H.265, 8 channel IP, 8TB (2x 4TB)	
TVN-2208-12T TruVision NVR 22, H.265, 8 channel IP, 12TB (3x 4TB)	
TVN-2208-16T TruVision NVR 22, H.265, 8 channel IP, 16TB (4x 4TB)	
TVN-2208-18T TruVision NVR 22, H.265, 8 channel IP, 18TB (3x 6TB)	
TVN-2208-24T TruVision NVR 22, H.265, 8 channel IP, 24TB (4x 6TB)	



Data Listino 20 MAGGIO 2021 (1.4.2.9)

VIDEOREGISTRATORI DIGITALI

Articolo	
TVN-2216-2T	
TruVision NVR 22, H.265, 16 channel IP, 2TB (1x 2TB)	
TVN-2216-4T	
TruVision NVR 22, H.265, 16 channel IP, 4TB (2x 2TB)	
TVN-2216-8T	
TruVision NVR 22, H.265, 16 channel IP, 8TB (2x 4TB)	
TVN-2216-12T	
TruVision NVR 22, H.265, 16 channel IP, 12TB (3x 4TB)	
TVN-2216-16T	
TruVision NVR 22, H.265, 16 channel IP, 16TB (4x 4TB)	
TVN-2216-18T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)






VIDEOREGISTRATORI DIGITALI

Articolo	
TruVision NVR 22, H.265, 16 channel IP, 18TB (3x 6TB)	 A black rectangular NVR device with a front panel featuring a display screen and several buttons. Below the device is a set of icons including a mouse, a hard drive, a network symbol, and a power symbol, along with the Carrier logo and 'IP PRO' text.
TVN-2216-24T TruVision NVR 22, H.265, 16 channel IP, 24TB (4x 6TB)	 A black rectangular NVR device with a front panel featuring a display screen and several buttons. Below the device is a set of icons including a mouse, a hard drive, a network symbol, and a power symbol, along with the Carrier logo and 'IP PRO' text.
TVN-2232-2T TruVision NVR 22, H.265, 32 channel IP, 2TB (1x 2TB)	 A black rectangular NVR device with a front panel featuring a display screen and several buttons. Below the device is a set of icons including a mouse, a hard drive, a network symbol, and a power symbol, along with the Carrier logo and 'IP PRO' text.
TVN-2232-4T TruVision NVR 22, H.265, 32 channel IP, 4TB (2x 2TB)	 A black rectangular NVR device with a front panel featuring a display screen and several buttons. Below the device is a set of icons including a mouse, a hard drive, a network symbol, and a power symbol, along with the Carrier logo and 'IP PRO' text.
TVN-2232-8T TruVision NVR 22, H.265, 32 channel IP, 8TB (2x 4TB)	 A black rectangular NVR device with a front panel featuring a display screen and several buttons. Below the device is a set of icons including a mouse, a hard drive, a network symbol, and a power symbol, along with the Carrier logo and 'IP PRO' text.
TVN-2232-12T TruVision NVR 22, H.265, 32 channel IP, 12TB (3x 4TB)	 A black rectangular NVR device with a front panel featuring a display screen and several buttons. Below the device is a set of icons including a mouse, a hard drive, a network symbol, and a power symbol, along with the Carrier logo and 'IP PRO' text.



Data Listino 20 MAGGIO 2021 (1.4.2.9)

VIDEOREGISTRATORI DIGITALI

Articolo	
TVN-2232-16T	
TruVision NVR 22, H.265, 32 channel IP, 16TB (4x 4TB)	
TVN-2232-18T	
TruVision NVR 22, H.265, 32 channel IP, 18TB (3x 6TB)	
TVN-2232-24T	
TruVision NVR 22, H.265, 32 channel IP, 24TB (4x 6TB)	
TVN22S	
	
TVN-2208S-2T	
TruVision NVR 22, H.265, 8 channel IP, 8 channel PoE, 2TB (1x 2TB)	
TVN-2208S-4T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)






VIDEOREGISTRATORI DIGITALI

Articolo	
TruVision NVR 22, H.265, 8 channel IP, 8 channel PoE, 4TB (2x 2TB)	 A black rectangular Network Video Recorder (NVR) with a front panel featuring a display screen and several buttons. Below the device is a grid of icons representing various features like H.265, PoE, and IP channels.
TVN-2208S-8T TruVision NVR 22, H.265, 8 channel IP, 8 channel PoE, 8TB (2x 4TB)	 A black rectangular Network Video Recorder (NVR) with a front panel featuring a display screen and several buttons. Below the device is a grid of icons representing various features like H.265, PoE, and IP channels.
TVN-2208S-12T TruVision NVR 22, H.265, 8 channel IP, 8 channel PoE, 12TB (3x 4TB)	 A black rectangular Network Video Recorder (NVR) with a front panel featuring a display screen and several buttons. Below the device is a grid of icons representing various features like H.265, PoE, and IP channels.
TVN-2208S-16T TruVision NVR 22, H.265, 8 channel IP, 8 channel PoE, 16TB (4x 4TB)	 A black rectangular Network Video Recorder (NVR) with a front panel featuring a display screen and several buttons. Below the device is a grid of icons representing various features like H.265, PoE, and IP channels.
TVN-2208S-18T TruVision NVR 22, H.265, 8 channel IP, 8 channel PoE, 18TB (3x 6TB)	 A black rectangular Network Video Recorder (NVR) with a front panel featuring a display screen and several buttons. Below the device is a grid of icons representing various features like H.265, PoE, and IP channels.
TVN-2208S-24T TruVision NVR 22, H.265, 8 channel IP, 8 channel PoE, 24TB (4x 6TB)	 A black rectangular Network Video Recorder (NVR) with a front panel featuring a display screen and several buttons. Below the device is a grid of icons representing various features like H.265, PoE, and IP channels.



Data Listino 20 MAGGIO 2021 (1.4.2.9)

VIDEOREGISTRATORI DIGITALI

Articolo	
TVN-2216S-2T	
TruVision NVR 22, H.265, 16 channel IP, 16 channel PoE, 2TB (1x 2TB)	
TVN-2216S-4T	
TruVision NVR 22, H.265, 16 channel IP, 16 channel PoE, 4TB (2x 2TB)	
TVN-2216S-8T	
TruVision NVR 22, H.265, 16 channel IP, 16 channel PoE, 8TB (2x 4TB)	
TVN-2216S-12T	
TruVision NVR 22, H.265, 16 channel IP, 16 channel PoE, 12TB (3x 4TB)	
TVN-2216S-16T	
TruVision NVR 22, H.265, 16 channel IP, 16 channel PoE, 16TB (4x 4TB)	
TVN-2216S-18T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)










VIDEOREGISTRATORI DIGITALI

Articolo	
TruVision NVR 22, H.265, 16 channel IP, 16 channel PoE, 18TB (3x 6TB)	 A black rectangular NVR unit with a front panel featuring a display screen and several buttons. Below the unit is a row of icons representing various features like H.265, PoE, and IP.
TVN-2216S-24T TruVision NVR 22, H.265, 16 channel IP, 16 channel PoE, 24TB (4x 6TB)	 A black rectangular NVR unit with a front panel featuring a display screen and several buttons. Below the unit is a row of icons representing various features like H.265, PoE, and IP.
TVN22P	 The logo for truVision, consisting of a green square icon with a white 'V' shape inside, followed by the text 'truVision' in a bold, sans-serif font.
TVN-2216P-2T TruVision NVR 22P, H.265, 16 channel IP, 2U, 2TB (1x 2TB)	 A black rectangular NVR unit with a front panel featuring a display screen and several buttons. Below the unit is a row of icons representing various features like H.265, PoE, and IP.
TVN-2216P-4T TruVision NVR 22P, H.265, 16 channel IP, 2U, 4TB (2x 2TB)	 A black rectangular NVR unit with a front panel featuring a display screen and several buttons. Below the unit is a row of icons representing various features like H.265, PoE, and IP.
TVN-2216P-8T TruVision NVR 22P, H.265, 16 channel IP, 2U, 8TB (4x 2TB)	 A black rectangular NVR unit with a front panel featuring a display screen and several buttons. Below the unit is a row of icons representing various features like H.265, PoE, and IP.



Data Listino 20 MAGGIO 2021 (1.4.2.9)

VIDEOREGISTRATORI DIGITALI

Articolo	
TVN-2216P-12T	
TruVision NVR 22P, H.265, 16 channel IP, 2U, 12TB (3x 4TB)	 
TVN-2216P-16T	
TruVision NVR 22P, H.265, 16 channel IP, 2U, 16TB (4x 4TB)	 
TVN-2216P-18T	
TruVision NVR 22P, H.265, 16 channel IP, 2U, 18TB (3x 6TB)	 
TVN-2216P-24T	
TruVision NVR 22P, H.265, 16 channel IP, 2U, 24TB (6x 4TB)	 
TVN-2216P-32T	
TruVision NVR 22P, H.265, 16 channel IP, 2U, 32TB (8x 4TB)	 
TVN-2216P-36T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)






VIDEOREGISTRATORI DIGITALI

Articolo	
TruVision NVR 22P, H.265, 16 channel IP, 2U, 36TB (6x 6TB)	 A black 2U rack-mountable NVR with a front panel featuring a display and various ports. Below the unit is a row of icons representing features like H.265, 16CH, and 36TB.
TVN-2216P-42T TruVision NVR 22P, H.265, 16 channel IP, 2U, 42TB (7x 6TB)	 A black 2U rack-mountable NVR with a front panel featuring a display and various ports. Below the unit is a row of icons representing features like H.265, 16CH, and 42TB.
TVN-2216P-48T TruVision NVR 22P, H.265, 16 channel IP, 2U, 48TB (8x 6TB)	 A black 2U rack-mountable NVR with a front panel featuring a display and various ports. Below the unit is a row of icons representing features like H.265, 16CH, and 48TB.
TVN-2232P-2T TruVision NVR 22P, H.265, 32 channel IP, 2U, 2TB (1x 2TB)	 A black 2U rack-mountable NVR with a front panel featuring a display and various ports. Below the unit is a row of icons representing features like H.265, 32CH, and 2TB.
TVN-2232P-4T TruVision NVR 22P, H.265, 32 channel IP, 2U, 4TB (2x 2TB)	 A black 2U rack-mountable NVR with a front panel featuring a display and various ports. Below the unit is a row of icons representing features like H.265, 32CH, and 4TB.
TVN-2232P-8T TruVision NVR 22P, H.265, 32 channel IP, 2U, 8TB (4x 2TB)	 A black 2U rack-mountable NVR with a front panel featuring a display and various ports. Below the unit is a row of icons representing features like H.265, 32CH, and 8TB.



Data Listino 20 MAGGIO 2021 (1.4.2.9)







VIDEOREGISTRATORI DIGITALI

Articolo	
TVN-2232P-12T	
TruVision NVR 22P, H.265, 32 channel IP, 2U, 12TB (3x 4TB)	
TVN-2232P-16T	
TruVision NVR 22P, H.265, 32 channel IP, 2U, 16TB (4x 4TB)	
TVN-2232P-18T	
TruVision NVR 22P, H.265, 32 channel IP, 2U, 18TB (3x 6TB)	
TVN-2232P-24T	
TruVision NVR 22P, H.265, 32 channel IP, 2U, 24TB (6x 4TB)	
TVN-2232P-32T	
TruVision NVR 22P, H.265, 32 channel IP, 2U, 32TB (8x 4TB)	
TVN-2232P-36T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)






VIDEOREGISTRATORI DIGITALI

Articolo	
TruVision NVR 22P, H.265, 32 channel IP, 2U, 36TB (6x 6TB)	
TVN-2232P-42T TruVision NVR 22P, H.265, 32 channel IP, 2U, 42TB (7x 6TB)	
TVN-2232P-48T TruVision NVR 22P, H.265, 32 channel IP, 2U, 48TB (8x 6TB)	
TVN-2232P-64T TruVision NVR 22P, H.265, 32 channel IP, 2U, 64TB (8x8TB)	
TVN-2264P-4T TruVision NVR 22P, H.265, 64 channel IP, 2U, 4TB (2x 2TB)	
TVN-2264P-8T TruVision NVR 22P, H.265, 64 channel IP, 2U, 8TB (4x 2TB)	



Data Listino 20 MAGGIO 2021 (1.4.2.9)







VIDEOREGISTRATORI DIGITALI

Articolo	
TVN-2264P-12T	
TruVision NVR 22P, H.265, 64 channel IP, 2U, 12TB (3x 4TB)	
TVN-2264P-16T	
TruVision NVR 22P, H.265, 64 channel IP, 2U, 16TB (4x 4TB)	
TVN-2264P-18T	
TruVision NVR 22P, H.265, 64 channel IP, 2U, 18TB (3x 6TB)	
TVN-2264P-24T	
TruVision NVR 22P, H.265, 64 channel IP, 2U, 24TB (6x 4TB)	
TVN-2264P-32T	
TruVision NVR 22P, H.265, 64 channel IP, 2U, 32TB (8x 4TB)	
TVN-2264P-36T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)

VIDEOREGISTRATORI DIGITALI

Articolo	
TruVision NVR 22P, H.265, 64 channel IP, 2U, 36TB (6x 6TB)	
TVN-2264P-42T	
TruVision NVR 22P, H.265, 64 channel IP, 2U, 42TB (7x 6TB)	
TVN-2264P-48T	
TruVision NVR 22P, H.265, 64 channel IP, 2U, 48TB (8x 6TB)	
TVN-2264P-64T	
TruVision NVR 22P, H.265, 64 channel IP, 2U, 64TB (8x8TB)	
TVN71	
	
TVN-7101-16T	
TruVision NVR 71, H.265, 576 Mbps, 3U, 16TB (4x4TB)	



Data Listino 20 MAGGIO 2021 (1.4.2.9)

VIDEOREGISTRATORI DIGITALI

Articolo	
TVN-7101-32T	
TruVision NVR 71, H.265, 576 Mbps, 3U, 32TB (8x4TB)	
TVN-7101-48T	
TruVision NVR 71, H.265, 576 Mbps, 3U, 48TB (12x4TB)	
TVN-7101-64T	
TruVision NVR 71, H.265, 576 Mbps, 3U, 64TB (16x4TB)	
TVN-7101-72T	
TruVision NVR 71, H.265, 576 Mbps, 3U, 72TB (12x6TB)	
TVN-7101-96T	
TruVision NVR 71, H.265, 576 Mbps, 3U, 96TB (16x6TB)	
TVN-7101R-16T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)





VIDEOREGISTRATORI DIGITALI

Articolo	
TruVision NVR 71, RAID, H.265, 576 Mbps, 3U, 16TB (4x4TB)	
TVN-7101R-32T TruVision NVR 71, RAID, H.265, 576 Mbps, 3U, 32TB (8x4TB)	
TVN-7101R-48T TruVision NVR 71, RAID, H.265, 576 Mbps, 3U, 48TB (12x4TB)	
TVN-7101R-64T TruVision NVR 71, RAID, H.265, 576 Mbps, 3U, 64TB (16x4TB)	
TVN-7101R-72T TruVision NVR 71, RAID, H.265, 576 Mbps, 3U, 72TB (12x6TB)	
TVN-7101R-96T TruVision NVR 71, RAID, H.265, 576 Mbps, 3U, 96TB (16x6TB)	



Data Listino 20 MAGGIO 2021 (1.4.2.9)






VIDEOREGISTRATORI DIGITALI

Articolo	
TVN-7101-FAN	
TruVision NVR 71, ventola di ricambio.	
TVN-7101-PS	
TruVision NVR 71, alimentatore interno di ricambio.	
Accessori per registratori TruVision	
	
TVN-20XX-HDD-2T	
TruVision Recorder HDD expansion kit, 2TB	
TVN-HDD-4TB	
TruVision Recorder HDD expansion kit, 4TB	
TVN-HDD-6TB	



Data Listino 20 MAGGIO 2021 (1.4.2.9)


VIDEOREGISTRATORI DIGITALI

Articolo	
TruVision Recorder HDD expansion kit, 6TB	
TVN-HDD-8TB	
TruVision Recorder HDD expansion kit, 8TB	
TVN-HDDR-4TB-2	
TruVision recorder HDD expansion kit, 4TB RAID	
TVN-HDDR-6TB-2	
TruVision recorder HDD expansion kit, 6TB RAID	
TVN-HDDR-8TB-1	
TruVision recorder HDD expansion kit, 8TB RAID	
TVN-PSU1	
Alimentatore di ricambio 12VDC/3.33A per registratori TruVision TVR11 (4/8ch), TVR12 (4/8ch), TVR15HD (4/8ch), TVN10(Non-PoE), TVN11 (Non-PoE)	



Data Listino 20 MAGGIO 2021 (1.4.2.9)





VIDEOREGISTRATORI DIGITALI

Articolo	
TVR-REMOTE-1	
Telecomando ad infrarossi per registratori TruVision	
TVR-RK-1	
Kit per installazione a rack per registratori TruVision 16 canali	
TVN-1X04CS-PS	
Alimentatore esterno per NVR TruVision con PoE, TVN-1104cS e TVN-1004cS	
TVR-DVD-1	
Masterizzatore DVD esterno	
TVR15CHD	
	
TVR-1504CHD-1T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)






VIDEOREGISTRATORI DIGITALI







Articolo	
TruVision DVR 15HD, HD Hybrid, 4 channel, 100% IP, 1T	
TVR-1504CHD-2T TruVision DVR 15HD, HD Hybrid, 4 channel, 100% IP, 2T	
TVR-1504CHD-4T TruVision DVR 15HD, HD Hybrid, 4 channel, 100% IP, 4T	
TVR15HD	
TVR-1508HD-2T TruVision DVR 15HD, HD Hybrid, 8 channel, 100% IP, 2T	
TVR-1508HD-4T TruVision DVR 15HD, HD Hybrid, 8 channel, 100% IP, 4T	



Data Listino 20 MAGGIO 2021 (1.4.2.9)





VIDEOREGISTRATORI DIGITALI






Articolo	
TVR-1508HD-8T	
TruVision DVR 15HD, HD Hybrid, 8 channel, 100% IP, 8T	
TVR-1516HD-2T	
TruVision DVR 15HD, HD Hybrid, 16 channel, 100% IP, 2T	
TVR-1516HD-4T	
TruVision DVR 15HD, HD Hybrid, 16 channel, 100% IP, 4T	
TVR-1516HD-8T	
TruVision DVR 15HD, HD Hybrid, 16 channel, 100% IP, 8T	
TVR-1516HD-12T	
TruVision DVR 15HD, HD Hybrid, 16 channel, 100% IP, 12T	
KIT TVR15HD	

Articolo	
	
TVR-1504HD-KB1 TruVision DVR 15HD kit, HD-TVI, TVR-1504CHD-1T x 1, TVB-2401 x 4. Fornito in una comoda confezione TruVision.	
TVR-1504HD-KB2 TruVision DVR 15HD kit, HD-TVI, TVR-1504CHD-1T x 1, TVB-2403 x 4. Fornito in una comoda confezione TruVision.	
TVR-1504HD-KT1 TruVision DVR 15HD kit, HD-TVI, TVR-1504CHD-1T x 1, TVT-2401 x 4. Fornito in una comoda confezione TruVision.	
TVR-1504HD-KW2 TruVision DVR 15HD kit, HD-TVI, TVR-1504CHD-1T x 1, TVW-6101 x 4. Fornito in una comoda confezione TruVision.	
TVR-1508HD-KB1 TruVision DVR 15HD kit, HD-TVI, TVR-1508HD-2T x 1, TVB-2401 x 4. Fornito in una comoda confezione TruVision.	








Data Listino 20 MAGGIO 2021 (1.4.2.9)

	Articolo	
VIDEOREGISTRATORI DIGITALI	TVR-1508HD-KB2	
	TruVision DVR 15HD kit, HD-TVI, TVR-1508HD-2T x 1, TVB-2403 x 4. Fornito in una comoda confezione TruVision.	
	TVR-1508HD-KT1	
	TruVision DVR 15HD kit, HD-TVI, TVR-1508HD-2T x 1, TVT-2401 x 4. Fornito in una comoda confezione TruVision.	
	TVR-1508HD-KW2	
	TruVision DVR 15HD kit, HD-TVI, TVR-1508HD-2T x 1, TVW-6101 x 4. Fornito in una comoda confezione TruVision.	
TASTIERE DI CONTROLLO	TVK-400-USB	
	Tastiera TruVision USB	
	TVK-600	
	Tastiera TruVision RS485/IP con joystick a 4 assi, 12V DC	 
ALIMENTATORI	KTP-12DCU	







Articolo	
Alimentatore universale. 12Vcc 1000mA.	
PSU-3.5A	
Alimentatore universale. 12Vcc 3,5A.	
PSU-5.0A	
Alimentatore universale. 12Vcc 5A.	
ATD-6814-PSU	
Alimentatore 24Vca, 4A. Fornito in contenitore da esterno IP66. Adatto per telecamere Cyberdome, Cyberdomell, Legend, LegendIP, UltraView PTZ e per le versioni a 24Vca delle telecamere GEC, UVC e UVD.	
WRG59	
Cavo coassiale RG59, impedenza 75 Ohm. Confezione da 100 m.	
WRG59-CO	
Connettore BNC maschio a crimpare. Confezione da 100 pezzi.	





CAVI	Articolo	
	WRG59-HF	
	RG59 Coax Cable - Halogen free - Box of 100 m	
IFS NETWORK	HARDENED SWITCHES	
	NS2052-4P-1T	
	4-port PoE-at and 1-port RJ45 Unmanaged Industrial Ethernet Switch	
	NS3050-8T	
	8-Port 10/100/1000Base-T Copper Ports Unmanaged Gigabit Ethernet Switch	
	NS3550-8T-2S-V2	
8-Port 10/100/1000 Base-Tx Copper Ports + 2-Ports 100/1000 SFP Managed Switch. Additional PSU to be ordered: PS48VDC100W-DIN. Note: SFP Module 100/1000 not included.		
NS3550-2T-8S		



IFS NETWORK

Articolo	
8-port 100/1000 SFP + 2-Ports 10/100/1000BaseT Managed Switch (-40~75°C) - Power 12-48V DC Additional PSU to be ordered: PS48VDC72W-UK or PS48VDC72W-EU PS48VDC100W-DIN Note: SFP Modules 100 / 1000 not included	
NS2052-8P-2C 8 Port Unmanaged POEat Industrial Switch with 2 SFP ports	
NS3552-8P-2S-V2 8-Port 10/100/1000Base-Tx IEEE802.3af/at Copper Ports + 2-Ports 100/1000 SFP Managed Switch (-40~75°C) - Power 48V DC Additional PSU to be ordered: PS48VDC480W-DIN Note: SFP Modules 100 / 1000 not included	
NS3553-4P-1T-2S 4 Port Industrial POE Ultra Managed Switch	
NS3562-8P-2S-V2 8-Port 10/100/1000Base-Tx IEEE802.3af/at Copper Ports + 2-Ports 100/1000 SFP Flat Wall Mount Managed Switch (-40~75°C) - Power 52 to 56 VDC	
NS3552-16P-2T-2S-V2 16-Port 10/100/1000Base-Tx IEEE802.3af/at Copper Ports + 2-Ports 100/1000 SFP and 2-Ports 100/1000 RJ45 Managed Switch - (-40~75°C) - Power 48V DC	





	Articolo	
IFS NETWORK	ECONOMY SWITCHES	
		
	ES2402-8P-2C-V2	
	Economy 8-port Fast Ethernet Websmart Switch with 802.3at PoE+ and 2-port Gigabit TP SFP combo ports (125W PoE Budget)	
	ES2402-16P-2C-V2	
Economy 16-port Fast Ethernet Websmart Switch with 802.3at PoE+ and 2-port Gigabit TP SFP combo ports (220W PoE Budget)		
ES2402-24P-2C-V2		
Economy 24-port Fast Ethernet Websmart Switch with 802.3at PoE+ and 2-port Gigabit TP SFP combo ports (380W PoE Budget)		
DESK BASED SWITCHES 8 PORT		
		
NS3502-8P-2T-2S-V2		



IFS NETWORK

Articolo

8-Port 10/100/1000Base-Tx IEEE802.3af/at Copper Ports + 2-Ports 100/1000 SFP & 2-Ports 10/100/1000 RJ45 Managed Switch.





BACKBONE SWITCHES 24 PORT



NS3500-24T-4C-V2

24 port Managed Switch with 4 SFP Ports (Sostituisce il modello NS3500-28T-4S).





NS4750-24S-4T-4X-V2

24-Port SFP Slots with 4 shared 10/100/1000Base-T Copper Ports Managed Gigabit Ethernet Switch and 4 1/10BaseG SFP+ Uplinks (0~50? AC, or -10~60? DC External PSU)



NS3702-24P-4S-V2

24-Port 10/100/1000Base-T IEEE802.3at Copper Ports with 4 shared SFP Slots Managed Gigabit Ethernet Switch (24x 15,4W/ 12 x 30,8 W / 380W PoE Budget) and Static Routing (0~50?)








NS4702-24P-4X-V2

Enterprise-class 24-port PoE+ Gigabit Switch with 10G uplink and touchscreen, sostituisce il modello NS4702-24P-4S-4X.





IFS NETWORK	Articolo	
	NS4802-24P-4S-2X	
	24-Port 10/100/1000Base-T IEEE802.3at Copper Ports with 4 shared SFP Slots Managed Gigabit Ethernet Stacking Switch (380W PoE Budget) and Static Routing and 2 1/10BaseG SFP+ Uplinks (0~50□)	
	MEDIA CONVERTERS	
		
	MC250-4T/2S	
	4-Port 10/100Base-Tx Copper + 2-Ports SFP (2Km) Multi-Mode Fiber Unmanaged Media Converter (-40~75°C) - Power 12-48V DC - Din rail or Wall Mount - accepts SFP Port 100Base-SX/FX/BX/LX only. Additional PSU to be ordered: 613P-EU or 613P-UK Note: New	
MC250-1T/1S		
1-Port 10/100Base-Tx Copper + 1-Port SFP Unmanaged Media Converter (-40~75°C) - Power 12-48V DC - Din rail or Wall Mount - accepts SFP Port 100Base-SX/FX/BX/LX only. Additional PSU to be ordered: 613P-EU or 613P-UK Note: New		
MCR300-1T-1S-V2		
10/100/1000 Base-T to 100/1000 SFP Media Converter		
MC355-1T/1S		



IFS NETWORK

Articolo

1-Port 10/100/1000Base-T Copper + 1-Port SFP Managed Media Converter (-30~75°C) - Power 12-48V DC - Din rail or Wall Mount - accepts SFP Port 1000Base-SX/BX/LX/LHX/ZX only. Additional PSU to be ordered: 613P-EU or 613P-UK



MC350-1T-2S

1-Port 10/100/1000Base-T Copper + 2-Port SFP Unmanaged Media Converter (-40~75°C) - Power 12-48V DC - Din rail or Wall Mount - accepts SFP S20 and S30 Series Additional PSU to be ordered: 613P-EU or 613P-UK Note: SFP Modules 100 / 1000 not included



MC350-4T-2S

4-Port 10/100/1000Base-T Copper + 2-Port SFP Unmanaged Media Converter (-40~75°C) - Power 12-48V DC - Din rail or Wall Mount - accepts SFP S20 and S30 Series Additional PSU to be ordered: 613P-EU or 613P-UK Note: SFP Modules 100 / 1000 not included



POWER OVER COAX



POC2502-16CXP-2T-2S

16-port Power and IP over coax Managed Switch with 802.3at PoE+ and 2-port Gigabit TP and 2-port SFP 10/1000 ports (380W PoE Budget) - for use in conjunction with POC252-1CX-1P media converter.



POC252-1CX-1P

1-Port Power and IP over coax with PoE-AT - to be used in conjunction with the IP over coax (POC Series) network switches and media convertor.





IFS NETWORK	Articolo	
	POC252-1CXP-1T	
	1-Port Power and IP over coax with POE-AT - for use in conjunction with POC252-1CX-1P media converter.	
	POC2052-4P-1CX	
	4 Port POC Unmanaged Switch Camera End	
	MEDIA CONVERTERS + POWER OVER ETHERNET (PoE)	
		
MC100FX-TX-POE		
1-Port 10/100Base-Tx IEEE802.3af Copper + 1-Port 100Base-FX (2Km) Multi-Mode Fiber Unmanaged Media Converter (SC connector) (1x 15,4W PoE Budget) (0~50°C) - Power 48V DC - Stand-alone. Additional PSU to be ordered: PS48VDC.38A-EU or PS48VDC.38A-UK		
MC201-1P/1FS		
1-Port 10/100Base-Tx IEEE802.3af Copper + 1-Port 100Base-FX (15Km) Single-Mode Fiber Unmanaged Media Converter (SC connector) (1x 15,4W PoE Budget) (0~50°C) - Power 48V DC - Stand-alone. Additional PSU to be ordered: PS48VDC.38A-EU or PS48VDC.38A-UK		
MC252-4P-1S		



IFS NETWORK

Articolo

4-Port Ethernet PoE-at switch to SFP Industrial Media Converter

MC352-1P/1S

1-Port 10/100/1000Base-T IEEE802.3af/at Copper + 1-Port SFP Unmanaged Media Converter (1x 30W PoE Budget) (-40~75°C) - Power 24-48V DC or 24V AC - Din rail or Wall Mount - accepts SFP Port 100Base-SX/FX/BX/LX and 1000Base-SX/BX/LX/LHX/ZX. Additional PSU to be ordered: PS48VDC72W-EU or PS48VDC72W-UK PS48VDC240W-EU or PS48VDC240W-UK Note: New



MC352-4P-2S

4-Port 10/100/1000Base-Tx IEEE802.3at Copper + 2-Port SFP Unmanaged Media Converter (4x 30W PoE Budget) (-40~75°C) - Power 48V DC - Din rail or Wall MounT. Additional PSU to be ordered: PS48VDC240W-DIN PS48VDC240W-EU or PS48VDC240W-UK. Notes:SFP Modules 100 / 1000 not included.



POWER OVER ETHERNET SPLITTER, INJECTOR OR EXTENDER



POE302-MS

1-Port 10/100/1000Base-T Copper to a 1-Port 10/100/1000Base-T IEEE802.3af/at Copper Injector (injects Data with 48V DC / 30W PoE Budget) (0~50°C) - Stand-alone or Wall Mount . Additional PSU to be ordered: PS54VDC72W-EU or PS54VDC72W-UK



POE302-EX







1-Port 10/100/1000Base-Tx IEEE802.3af Copper to a 1-Port 10/100/1000Base-Tx IEEE802.3at Copper Mid-span Extender (1x 30W PoE Budget - up to 300m) (-10° ~ 60°C) - Stand-alone or Wall Mount Additional PSU to be ordered: No power required
















Data Listino 20 MAGGIO 2021 (1.4.2.9)

IFS NETWORK	
Articolo	
POE-Ultra (POE-bt)	
	
NS3503-16P-4C	
16-Port 10/100/1000Base-Tx IEEE802.3af/at/POE Ultra Copper Ports + 2-Ports 100/1000 SFP Managed Switch (0~50□)	
POE304-MS	
1-Port 10/100/1000Base-T Copper to a 1-Port 10/100/1000Base-T IEEE802.3af/at/POE Ultra Copper Injector (injects Data with 56V DC / 60W PoE Budget),(0~50□) - Stand-alone or Wall Mount, Alimentatore PS54VDC72W-EU da ordinare separatamente.	 
POE304-EX-4P	
Extender Gigabit con 1-Porta 10/100/1000Base-Tx di ingresso alimentata da una sorgente POE-bt come ad esempio NS3503-16P-4C (non richiede un alimentatore esterno) e 4-Porte 10/100/1000Base-Tx IEEE802.3at con budget POE di 55W, temperatura di funzionamento da -40°C a +75°C - Installazione su barra DIN o a parete.	 
RACKS & POWER SUPPLIES	
	
ESP-300	

Articolo		
IFS NETWORK	Dispositivo di protezione elettronica per porte Ethernet, protegge da sovratensioni e scariche elettriche.	
	613P-EU	
	100-240V AC Input 13.5V DC 1.33Amp 18W Output Power Supply Brick model with EU plug (0~+40°C)	
	PS5VDC2A-EU	
	100-240V AC Input 5V DC 2Amp 10W Output Power Supply with EU wallplug (0~+50°C)	
	PS48VDC.38A-EU	
100-240V AC Input 48V DC 0.38Amp 18W Output Power Supply with EU wallplug (0~+50°C)		
PS54VDC72W-EU		
Alimentatore 54VDC 1.33A, tensione di ingresso 100-240VAC, con spina EU, approvato CE, UL, CSA. (sostituisce il modello: PS56VDC72W-EU)		
PS48VDC240W-EU/UK		
100-240V AC Input 48V DC 5Amp 240W Output Power Supply Hardened Brick model with EU plug (-40~+70°C) IP67 rating		



IFS NETWORK	Articolo	
	PS48VDC100W-DIN	
	100-240V AC Input 48VDC 100W Power Supply with DIN rail mount	
	PS48VDC240W-DIN	
	100-240V AC Input 48VDC 240W Power Supply with DIN rail mount	
	PS48VDC480W-DIN	
100-240V AC Input 48VDC 480W Power Supply with DIN rail mount		
MCR-R15		
MCR Chassis with Internal Power Supply - 15 slots		
MCR-RPS		
MCR Chassis Redundant Power Supply - 100-240 V AC (130W)		
SFPs MULTIMODE		

Articolo	
	
S30-2MLC	
SFP-Port 1000Base-SX Mini-GBIC Module - 2 Fiber - 550m - Multi-Mode - 850nm (0~50°C) - Based on 50/125µm OM2 Fiber	
S35-2MLC	
SFP-Port 1000Base-SX Mini-GBIC Module - 2 Fiber - 550m - Multi-Mode - 850nm (-40~75°C) - Based on 50/125µm OM2 Fiber	
S30-2MLC-2	
SFP-Port 1000Base-SX2 Mini-GBIC Module - 2 Fiber - 2Km - Multi-Mode - 1310nm (0~50°C) - Based on 50/125µm OM4 Laser Optimised Fiber	
S20-2MLC-2	
SFP-Port 100Base-FX Mini-GBIC Module - 2 Fiber - 2Km - Multi-Mode - 1310nm (0~50°C)	
S25-2MLC-2	
SFP-Port 100Base-FX Mini-GBIC Module - 2 Fiber - 2Km - Multi-Mode - 1310nm (-40~75°C)	





IFS NETWORK	Articolo	
	S25-1MLC-A-2	
	SFP-Port 100Base-FX Mini-GBIC Module - 1 Fiber - 2Km - Multi-Mode - 1300nm - A End (-40~75°C)	
	S25-1MLC-B-2	
	SFP-Port 100Base-FX Mini-GBIC Module - 1 Fiber - 2Km - Multi-Mode - 1300nm - B End (-40~75°C)	
	SFPs SINGLEMODE	
S30-2SLC-10		
SFP-Port 1000Base-LX10 Mini-GBIC Module - 2 Fiber - 10Km - Single-Mode - 1310nm (0~50°C)		
S35-2SLC-10		
SFP-Port 1000Base-LX10 Mini-GBIC Module - 2 Fiber - 10Km - Single-Mode - 1310nm (-40~75°C)		
S30-1SLC/A-20		



Articolo	
IFS NETWORK	SFP-Port 1000Base-BX20 Mini-GBIC Module - 1 Fiber - 20Km - Single-Mode - Tx 1310nm - Rx 1490nm (0~50°C) 
	S30-1SLC/B-20 SFP-Port 1000Base-BX20 Mini-GBIC Module - 1 Fiber - 20Km - Single-Mode - Tx 1490nm - Rx 1310nm (0~50°C) 
	S20-2SLC-20 SFP-Port 100Base-LX20 Mini-GBIC Module - 2 Fiber - 20Km - Single-Mode - 1310nm (0~50°C) 
	S25-2SLC-20 SFP-Port 100Base-LX20 Mini-GBIC Module - 2 Fiber - 20Km - Single-Mode - 1310nm (-40~75°C) 
	SFPs COPPER 
	S30-RJ SFP-Port 1000Base-T Mini-GBIC Module - 1 RJ45 Copper Port - 100m (0~50°C) 



	Articolo	
IFS NETWORK	SFP+ Multimode & Single Mode 10BaseG	
		
	S40-2MLC	
	SFP+ Port 10BaseG-SR SFP+ - 2 Fiber - 300m - Multimode Mode (OM3 Fiber) - 850nm (0~70°C)	
S40-2SLC-10		
	SFP+ Port 10BaseG-LR SFP+ Module - 2 Fiber - 10Km - Single-Mode - 1310nm (0~70°C)	